
AIR AND WATER TEMPERATURES AND STREAM FLOW DATA, CONVICT CREEK, MONO COUNTY, CALIF., 1950 to 1962

Marine Biological Laboratory
LIBRARY
APR 2 9 1964
WOODS HOLE, MASS.



UNITED STATES DEPARTMENT OF THE INTERIOR
FISH AND WILDLIFE SERVICE



UNITED STATES DEPARTMENT OF THE INTERIOR, STEWART L. UDALL, SECRETARY Frank P. Briggs, Assistant Secretary for Fish and Wildlife Fish and Wildlife Service, Clarence F. Pautzke, Commissioner Bureau of Sport Fisheries and Wildlire, Daniel H. Janzen, Director

AIR AND WATER TEMPERATURES AND STREAM FLOW DATA FROM CONVICT CREEK, MONO COUNTY, CALIFORNIA 1950 to 1962

By
Harry D. Kennedy
Fishery Biologist (Research)
California-Nevada Sport Fishery Investigation
Bishop, California



Special Scientific Report--Fisheries No. 481 Washington, D.C. • January 1964

CONTENTS

	<u></u>	Pa
	action	
Equipn	ment and Methods	
Discus	sion of Data	3
Litera	ture Cited	
	LIST OF FIGURES AND TABLES	
Figure	<u>s</u>	
1.	Vicinity Map, Convict Creek and Surrounding Area	1
2.	Convict Creek Experiment Station, Looking West. Summer Scene, 1961	2
3.	Convict Creek Experiment Station, Looking East. Winter Scene, 1952	2
4.	Mean Annual Water and Air Temperatures of Convict Creek 1950 - 1962	5
5.	Relationship of Mean Monthly Rate of Flow and Water and Air Temperatures, Illustrated by Maximum and Minimum	
Tables		
1.	Mean Monthly Water Temperatures, Convict Creek, 1950 - 1962	
2.	Mean Monthly Air Temperatures, Convict Creek, 1950 - 1962	
3.	Mean Monthly Rate of Flow, Convict Creek, 1950 - 1962	
4.	Mean Monthly and Mean Minimum and Maximum Water Temperatures, Convict Creek, May 1, 1950 through April 30, 1963	
5.	Mean Monthly and Mean Minimum and Maximum Air Temperatures, Convict Creek, May 1, 1950 through April 30, 1963	
6.	Mean Monthly and Minimum and Maximum Rate of Flow, Convict Creek, May 1, 1950 through April 30, 1963	
7 - 19.	Daily Maximum and Minimum Water Temperatures, 1950 - 1962	
20-32.	Daily Maximum and Minimum Air Temperatures, 1950 • 1962	
33-45.	Mean Daily and Monthly Rate of Flow (C.F.S.) and Monthly Volume of Flow (ACRE FEET), Convict Creek, 1950 - 1962	

AIR AND WATER TEMPERATURES AND STREAM FLOW DATA FROM CONVICT CREEK, MONO COUNTY, CALIFORNIA, 1950 TO 1962

By
Harry D. Kennedy
Fishery Research Biologist
Bureau of Sport Fisheries and Wildlife
Bishop, Calif.

ABSTRACT

A series of tables give daily records, with monthly and annual means, of water temperature, air temperature, and stream flow for Convict Creek Experiment Station, Calif., from 1950 to 1962. The 13-year means were water temperature 47.6°F., air temperature 44.6°F., and stream flow 22.3 c.f.s.

Since rehabilitation of Convict Creek Experiment Station in 1950, continuous air and water temperatures and water flow records have been maintained. Records for the period 1950 through 1962 are presented and discussed here. We are indebted to the Department of Water and Power of the City of Los Angeles for the flow records.

Convict Creek Experiment Station is located at latitude 37 ° 37' N. and Longitude 118° 50' W. and lies within the Inyo National Forest on the eastern escarpment of the Sierra Nevada, in Long Valley, Mono County, Calif. The Station is 35 miles northwest of Bishop, Inyo County, Calif., at an elevation of 7,200 feet above sea level (fig. 1).

SCALE
I INCH = 1 MILE

TO RENO NEV.

CONVICT CREEK
EXPERIMENT STATION
METER
STATION

CONVICT
LAKE

CONVICT
LAKE

Figure 1:--Vicinity map of Convict Creek and surrounding area. (From Mount Morrison and Casa Diablo Quadrangles, 1953).

A general description of this immediate area, as well as a brief summary of the geological history and the physical, chemical, and biological characteristics of the lakes in Convict Creek Basin, has been given in several unit reports as well as in a general report based on these separate studies (Reimers, Maciolek, and Pister, 1955). The objectives, facilities, and operational procedures of Convict Creek Experiment Station have been described by Nielson, Reimers, and Kennedy (1957).

The climate of the eastern slope of the Sierra Nevada is extremely variable and is similar to that of other western mountain areas which lie leeward of high mountain ranges, with

respect to prevailing westerly winds and Pacific storm systems.

The summer season in this area is short and extremely dry (humidity averages about 15 percent) though occasional thunderstorms occur during the late afternoon and evening hours of the hottest days. July and August are usually the only frost-free months, and July is normally the warmest month of the year. Figure 2 shows an early summer scene and the type terrain surrounding the Station.



Figure 2--Convict Creek Experiment Station, looking West. Early summer of 1961. Crest of Sierra Nevada in background.




Figure 3--Convict Creek Experiment Station, looking northeast. Early spring of 1952, snow depth about seven feet.

Autumn months are the most pleasant as the "Pacific highs" infiltrate this area with slight breezes, blue smogless sky, and warm daytime temperatures. Below-freezing temperatures (as low as 10° F.) are common in the early morning hours.

Winter is characterized by moderate snow-fall with average depths of 2 to 4 feet. Subfreezing temperatures prevail, and strong, gusty winds are common. These winds usually precede and follow low-pressure systems swinging southeasterly across northern and central California. The lakes in this general area and elevation, 7,000 feet, usually freeze over by mid-December, and the streams are almost hidden by drifting snow. January is normally the coldest month of the year. Figure 3 shows a severe winter scene at Convict Creek Station.

At this elevation, the spring season is characterized by unsettled weather with snowstorms, rain, sleet, subfreezing temperatures, and gusty winds. Spring thaw begins in late March, and lakes and streams are usually open by late April. Daytime temperatures gradually climb to a comfortable level by June, but freezing temperatures may be expected during the early morning hours.

EQUIPMENT AND METHODS

Air and water temperatures were taken with a recording thermograph with a range of 0 to 100° F., graduated in 1° intervals. Recorded temperatures were read to the nearest of 0.5°F. The thermograph was calibrated every 4 months with a resistance thermometer. Supplementary temperatures were taken with a maximum-mini-mum thermometer when the thermograph was inoperative and during low air temperature periods.

The flow-gaging station on Convict Creek, maintained by the Department of Water and Power of the City of Los Angeles, is located 1-1/2 miles below the outlet of Convict Lake and 1-1/2 miles above the upper boundary of the Station area. Initial installation was made on June 30, 1925, with flow records beginning on November 15, 1926.

Mean water temperatures for the 13-year period are shown in table 1 by months and by years, and for the entire period. Mean air temperatures are similarly tabulated in table 2, together with annual number of hours below 32°F. Mean flows are similarly shown in table 3 along with annual run-off in acre-feet.

Mean temperatures and flow data are presented in tables 4, 5, and 6 by months, monthly minima and maxima, semiannual, annual, and totals for the period.

Daily and mean monthly maximum and minimum water and air temperatures are presented for the 13-year period in tables 7 to 32, along with monthly means. Mean daily and monthly rate of flow and monthly volume of flow are shown in tables 33 to 45.

DISCUSSION OF DATA

Temperature and flow data presented in this report are for the most part self-explanatory, but a general discussion of the data may be helpful.

As indicated in table 1, the 13-year mean water temperature was 47.6° F. The maximum annual mean was 49.9° F. (1958); the minimum annual mean was 44.7° F. (1952).

The 13-year mean air temperature (table 2) was 44.6° F., three degrees lower than the 13-year mean water temperature (table 1). Maximum annual mean was 47.7° F. (1958); minimum annual mean was 40.7° F. (1952),

The 13-year mean of hours below 32° F. was 2,478; greatest number of hours below 32° F. was 3,438, in 1952; the least was 2,101 in 1958. There are 8,760 hours in a calendar year, except for leap years with 8,736. During this 13-year period, the leap years were 1952, 1956, and 1960. It can be stated that in this general area approximately a third of each year has below-freezing temperatures.

As indicated in table 3, the 13-year mean rate of flow was 22.3 c.f.s. Maximum annual mean flow recorded for the period was 34.9 c.f.s.

(1956; minimum flow was 11.1 c.f.s. (1961). The 13-year mean run-off was 16,219 acre feet. Maximum value of 25,378 acre feet was in 1956; the lowest, 8,027 acre feet,was in 1961.

The temperature and flow data in tables 4, 5, and 6 were formulated on a May through April basis and are presented in this manner for convenience in relation to the experimental fish testing program of the Station.

Figure 4 illustrates the general trend for the mean annual air and water temperatures for the 13-year period and clearly indicates the se-verity of the winter of 1951-52 with its extremely low air and water temperatures. A general but sharp rise in air and water temperature was evident between 1956 and 1960. From 1960 through 1962 temperatures had begun to decline to near average values.

Figure 5 shows the relation of mean monthly rate of flow to air and water temperatures, illustrated by maximum and minimum run-off years for the 13-year period. Even though the run-off was markedly different between the two years it is evident that snow melt is initiated and flow increases near the latter part of April when mean monthly air and water temperatures reach 40° F. Run-off usually peaks in late June and decreases sharply through the months of July and August. Flow begins to level off during September, at which time cooler temperatures at the higher elevations prevent any further snow melt and the flow stablizes at a low level (unless unusual weather conditions prevail) until the following spring. Convict Creek is like other small lotic situations in that the water temperature closely parallels the air temperature.

The maximum air temperature recorded in the 13-year period was 94° F. on June 20, 1961; minimum air temperature recorded was -22.0°F. on January 4, 1955; maximum water temperature recorded was 74° F. on August 11, 1960; minimum water temperatures of 32° F. are recorded every year during the winter and early spring months.

Maximum rate of flow recorded in the 13-year period was 183.9 c.f.s. on June 25, 1958;

minimum rate of flow recorded was 1.3 c.f.s. on January 10, 1951. In the 35 years the meter station has been in operation the maximum flow recorded was 234 c.f.s. on June 29, 1932; minimum flow recorded was 1.3 c.f.s. on January 10, 1951.

Extreme variation in temperature and precipitation was evident during this 13-year period. The winter of 1951-52 was by far the most severe, with snow depths between 5 and 15 feet (fig. 3), gusty winds to 80 m.p.h., and below-normal temperatures. U.S. Highway 395 was closed periodically throughout this winter. During the latter half of December 1955 a large Pacific warm front originating east of Hawaii failed to follow the normal pattern of moving in a northeastern direction and swung due east, inundating this area with heavy rain that lasted for 36 hours and eventually turned into heavy, wet snow which continued for another 48 hours. Flooding was extensive, and sleet and snow snapped power and telephone lines and even toppled power poles. The winters of 1959-60 and 1960-61 were relatively mild with below-normal precipitation. Although the long-range forecast for the winter of 1961-62 was for a continued pattern of below normal precipitation, between February 7 and February 14, 1962, a persistent low-pressure system dumped 53 inches of snow in the immediate area. This situation was paralleled in February 1963 except that heavy amounts of rain followed the heavy snowfall and reduced the snowpack to one-fourth its original depth, and flooding was common throughout the area.

Precipitation was measured during 1 year, October 1, 1957, through September 30, 1958, by means of a standard Weather Bureau type 8inch rain gage. A total of 17.4 inches of precipitation was measured which included approximately 200 inches of snow with a water content of 11.2 inches. Rain made up the rest of the precipitation, 6.2 inches, and was primarily from thunderstorms. The first snowfall of this period was on October 20, 1957, and the last on April 7, 1958. Heaviest snowfall recorded was 26 inches (water content of 2.75 inches) on March 15 and 16, 1958. Heaviest rainfall, amounting to only 0.35 inches, was recorded on August 18, 1958. This was probably an average year of precipitation.

Figure 4--Mean annual water and air temperatures for the 13-year period. Convict Creek Experiment Station, Mono County, California.

55 56 YEAR




Figure 5--Relationship of mean monthly rate of flow, and air and water temperatures, illustrated by maximum and minimum run-off years of the 13 year period. Convict Creek, California.

LITERATURE CITED

NIELSON, REED S., NORMAN REIMERS, and HARRY D. KENNEDY.

1957. A six-year study of the survival and vitality of hatchery-reared rainbow trout of catchable size in Convict Creek, California. California Fish and Game, vol. 43, No. 1, pp. 5-42.

REIMERS, NORMAN, JOHN A. MACIOLEK, and EDWIN P. PISTER.

1955. Limnological study of the lakes in Convict Creek Basin, Mono County, California. U.S. Fish and Wildlife Service, Fishery Bulletin, No. 103, vol. 56, pp. 437-503.

TABLE 1

Mean Monthly Water Temperatures, Convict Creek Station, Mono County, California, 1950 - 1962

					Temp	Temperatures	in degrees	s Fahrenheit	eit				
Year	Jan.	Feb	Mare	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Annual and Period Mean
1050	35.0	36.1	39.1	113.7	17.7	53.1	59.8	1.09	56.3	148.5	43.7	39.6	16.9
1971	3)1.6	37.0	38.1	14.2	19.2	7.	8.09	8.09	58.1	48.4	41.3	33.5	1,6.7
1070	32.5	34.0	34.1	39.0	1,6.8	50.7	55.50	58.8	55.4	52.2	42.7	35.3	1. The 7
1953	37.8	35.4	38.6	43.4	145.8	51.0	58.5	59.7	57.3	149.7	52,5	36°4	6.91
1957	33.7	37.9	36.8	45.2	51.3	53.4	1.09	59.3	55.	7*87	1,2.8	35.00	7.97
1007	33,0	35.0	38.2	11.1	47.3	53.4	63.5	9.49	59.7	52.4	42.7	37.8	47.4
1956	3/10/	37,0	39.2	16.3	52.2	57.6	60.5	62.2	61.1	52.3	144.7	39.2	8.84
1957	3/1.9	38.1	17.17	46.3	51.6	57.3	62.4	63.7	61,1	51.9	43.6	38.9	49.2
1078	37.8	37.9	38.0	42.1	53.9	55.9	61.7	64.7	62.0	56.3	747.0	42.9	6.64
1959	39.2	36.8	12.5	50.6	53.2	61.0	63.1	61.5	56.5	50.3	47.4	38.1	78.67
1960	35.1	36.0	41.7	1,707	52.5	58.7	62.0	63.3	58.2	48.9	39.6	35.2	148.3
1961	35.6	38.1	1007	48.1	52.8	57.6	4.19	61.1	N. N.	7.97	37.5	34.8	47.5
1962	34.9	35.2	35.9	14.44	1,8,1	54.3	57.8	59.7	57.1	49.3	147.9	37.9	110917
Mean for Period	r 34.9	36.0	38.8	144.8	50.2	55.3	9.09	61.5	58.0	50.4	43.2	37.3	47.6

TABLE 2

Mean Monthly Air Temperatures, Convict Creek Station, Mono County, California. 1950 - 1962

	Hours below 320 F.	2173 2689 3438 2405 2689 2534 2267 2167 2101 2204 2572 2511	2478
	Annual Mean	######################################	9*17
	Dec.	9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	29.7
	Nov.	20000000000000000000000000000000000000	36.6
بد	Oct.	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	47.0
Fahrenheit	Sept.	0 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	55.5
degrees F	Aug.	70000000000000000000000000000000000000	61.0
in	July	00000000000000000000000000000000000000	63.3
Temperatures	June	00000000000000000000000000000000000000	58.2
Te	May	2000 2 7 5 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	49.8
	Apre	17.47.18.29.29.39.39.39.39.39.39.39.39.39.39.39.39.39	43.3
	Mar.	0. L 20 20 20 20 20 20 20 20 20 20 20 20 20	34.8
	Feb.	20000000000000000000000000000000000000	29.1
	Jan	24 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	26.9
	Year	19950 19950 19950 19950 19950 19950 19950 19950	Yean for 26.9

TABLE 3

Mean Monthly Flow, Convict Creek, Mono County, California, 1950 - 1962

Flow in cubic feet per second

	Total Acre Feet	15032 15642 24907 13503 13760 15633 25378 17056 22963 11125 8665 8665 8027	16219
	Annual	20.7 20.7 18.6 19.0 23.5 23.5 23.5 23.5 23.5 23.5 23.5 23.5	22.3
	Dec.	23.0 7.11 8.30 12.0 10.0 10.0 10.0 10.0 10.0 10.0 10.	11.1
	Nov.	100 100 100 100 100 100 100 100 100 100	10.4
	Oct.	- 0 7 0 0 1 1 1 1 0 0 0 0 1 1 1 1 1 1 1 1	10.8
70.7	Sept	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	14.6
	Auge	25000000000000000000000000000000000000	28.3
	July	420.00 4	56.8
	June	61.8 77.7 71.7 71.7 71.7 71.7 833.9 833.9 833.9 833.9	9.29
	May	23.00.00.00.00.00.00.00.00.00.00.00.00.00	27.8
	Apr.		11.0
	Mare	10000000000000000000000000000000000000	8,5
	Q 2 E4	11.7.6	9.6
	Jan.	100 100 100 100 100 100 100 100 100 100	10.4
	Year	1950 1951 1952 1953 1954 1955 1956 1959 1960 1961 1961	Period

TAPLE 14

Mean Monthly and Mean Minimum and Maximum Water Temperatures. Convict Creek Experiment Station. May 1, 1950 - April 30, 1963

Temperatures in Degrees Fahrenheit

Winter Annual	. Mean Mean	.2 39.4 1.6.3		0 35.7 15.6		38.41 14.68	-	38.2 1.6.0		1 3/0/ 4002		39.3 Enel		2 4701 4406	74.0	Ĵ		00 t 100c 100c	7 10 7 13	٠,	20 6 1.9 4)			1, 37.1 1.6.5	H (
	Mar. Apr.	30.1 146.	32.6-43.6 37.8-5	34.01	35.2-36.7135.4-1	34.6	30.4-Lilette 30.4-	36.6	36.6-11.1 38.0-	34.2 (11.	32.9-43.4 45-	3.0%	34.111.00 39.3-	41.1 20 20 / 1.5.	35.4-40. 30.0-	30.00	10017 Noview		3. 0 -17.00 L. 0.	1 1 0 c 1 c c c c c c c c c	340 -4.0 5 34.4-	22 0 17 5 29 3-	して・こて ハ・コンしょ・ハー	- C 2C	35.0	32.3-37.3 32.7-31.0 32.9-37.4 35.5-33.2 37.6-51.2
	Feb.	35.9	32.6-39.2	34.0	32.4-35.6	35	32.2-38.6	5,75	32.4-37.3	0.1	30.41-37.	35	35.4-77.	38.1	74. (-41.4	31.09	34.0-41.0	0,00	3400-420		300 340	4	7, e, mile e.		7	32.9-37.4
	Jan.	34.6	32.5-36.7	32.5	35.1-32.9	m - m	32-4-37-2	33.1	32.1-34.4	33.5	32.2-31.6H	310.0	33.0-36.7	34.9	32.7-37.1	35.00	33.0-38.6	39.2	36.0-42.2	35.4	33.1-37.9	2000	32.3-30.7	7, 7	200	3
	Dec.	39.K	37.0-42.1	33.5	37.1-34.6	34°3	33.1-37.4	34.4	33. 5-39.	W. N.	33.5-38.2	37.8	35.0-40.5	3000	35.3-43.0	38.0	35.3-42.4	7,00	38.8-46.9	10.7	34.3-1.1.0	20 00 00	35.3-38.0	7		32.3-37.3
	Nove	13.7	10.5-47.1	. 41.3	37.7-14.09	1,000	38.0-1.6.3	7. CH	39.0-1.5.9	12°B	38.8-46.7	100	38.1-47.3	17	10.0-49.3	43.6	39.7-17	17.	40.3-11	1.7	35-9-46	33.6	35.1-6.3.64.	37.5		33.4-41.6
Summer	Mean	5/2																		1. L.		67.3	,	6.5.		
	0ct.	2	13-11-63.L	1,8 h	1,3.7-53.0	50.00	1,7 . K-rt. 8	10.7	1,5.2-56.1	1,8,1,	13.3-53.r	K7.1	46.4-58.4	T. 37	47.9-56.6	6,15	17.5-66.5	.56.3	1.1.2-61.1	50.3	1,4.1,-7,6.7	6.03	13.2-54.0	0.0		15.2-60.1 52.7-62.4 55.5-67.3 55.6-66.5 49.0-61.9 41.1-51.7
	Sept.	E/6.3	12.0-60.6	7881	52.8-63.1.	17. L.L.	K1.67-69.2	47.3	52.3-62.3	L .	1:0.7-61.3	TO -1	53.7-65.6	61.1	56.3-65.8	1.10	55.1-67.0	62.0	6.99-0.75	4.95°	50.5-62.5	Гу	13.3-6.1	ls.	1	49.0-61.9
	Anr	60.1	rl, 11-65-7	(so. 8	E(6-61.9	G. CL	56.3-6.2 2 S	1007	55.1-64.3	TO 3	53.6-64.9	44.0	59.3-69.9	62.5	57.9-66.1	63.7	58.1-1/2	617	160.8-68.5	13°E	55.0-68.1	65.3	56.0-70.5	1,1,1		55.6-66.5
	July	0.00	C	2 - 2	17.6-(1)	7 2 3	C	1,3	6.12-671	60,1	16,1-64,1	A3.0	53.7-58.6	11 41	57.3-63.7	11.20	58.6-66.2	1.7	(4,1-1,23	(]	1 . (1,1) - 1 - []	0.0	Fr 7 .5	7.1.		55.5-67.3
	and and	4 67	1.0 0 0.1	[1]	T 55 T	5	12.	0-6	11.77-5	53°L	19-2-57-6	r.3.1	19-1-57-6)	53.6-61.5	6.1	53.4-61.1		52.3-59.5		55.9-66.0	1707	10.1-10			52.7-62.4
		, , ,		0.00	1.3 T_E.		~ []	1	30, 3-6,	6113	195-1-7	K	10,0-13,6		11 . 5 - 7 . 81	1,1	1,5,11-57.7	Y 8 3	47.6-60.1	r 3.6	46.6-59.7	• 1	1,00-6.04	0		15.2-60-1
		- 1	-		_						-							1958-59		1959-60				29-1961		

TABLE 5

Mean Monthly and Mean Minimum and Maximum Air Temperatures. Train, room recommend Wean May 1, 1950 - April 30, 1963

Temperatures in Degrees Fahrenheit

	Annual		\u	Þ			(I)	42.3		•		45.8		15.5				45.4		45.4		43.4		43.7	- 1
73 50 40 57	Vinter Annua	36.7	26.1	7.07	32.3	(32.0	28.7				35.5		34.9		39.3		34.1				30.7		*	
-	Apr.	43.5	30.6	25.7-53.5	12.8		115.00	39.0		42.7	` e	43.6	26.5-60.6	1,1.1	23.9-58.3	19.7	30.2-69.2	, ,	[•[-0.•]	43.7		45.1	•	34.8	= 1
	Mar.	37.2	, C. T.	17-11-39-2	36.9	0	Z9.8	33.7.	1.0/11/6-1	38.2		40.2	25.0-55.3	32.0	16.44-47.7	10.8	23.2-58.4			36.4	1 1	27.0		31.2	
	Feb.	32.3		8 8 35 8	31.3		6.22	24.3		25.2		35.6	21.0-20.2	35.9	20.5-51.2	28.8	12.6-44.9	•	1 1	35.5	- 0 (2.02	1 1	37.0	
	Jan.	30.2	18	9-4-27-6	31.2	, ,	T.62	15.9	8, 1	29.6	17, 1-11, 3	20.1	2.9-37.2	30.6	13.7-47.5	35.2	20.3-50.0	9	9	31.7		90/2		7.3-49.0	
	Dec.	35.2	20.0	10.7-29.3	22.4		31.03	22.3	0111	33.8		34.1	13.7-54.5	32.5	17.9-50.0	70.0	19.9-61.3	٠	9 (27.8	° (24.3	0 (10.2-51.5	
	Nov.	41.7	32.9	16.7-7-01	29.1	1 00	0.00	37.4	a	39.9		39.7	17.3-62.1	37.0	20.3-53.6	70.07	20.1-60.8	0		31.4	1 (33.9	1 0	16.1-56.8	
Summers	Mean	54.1	54.8		55.5	5	53.0	55.9		57.4		55.9		26.1		58.7		b	1	50.3	1	1.00	1	5.44.3	
	Oct.	1,9,1	, Ph. 0	5.7-62.2	1,8,4		7, 7	1,6,1	34	50.2	C 4	75.0	7.0-62.9	115.11	8.9-61.8	52.4	1.6-73.1	3	0 (7:51	° 1	45.5		8.8-65.7	
	Sept.	51.8	56.7	36.7-76.712	54.2		20.05	54.6		57.5		58.7	38.3-79.0	56.8	36.3-77.3	73 73	38.4-78.6	٠:	0 0	50.0	, I	₹. - C. S. C.	1 1	32.2-75.8 2	
	Aur	58.11	39.4-77.4		7.09	10.7-80.1	57. T	58.3	, 3	. 57.	44.1-86.9	60.3	39.3-81.3	61.3	1, 36.3-	9.99	47.9-85.2	61.3	11.0-81.6	6.Leg	C=20=2.Tt	01.04	13. (-17.T	10.2478.9	61.0
	July Aur.	62.0	62.2		63.3	14.5-82.1	04°Z	63.4	r li	٥	1	62.4	43.2-81.6	65.9	1	19.79	45.3-83.41	0.99	10-4-92-21	03.0	17. (-03.5	0.50	17.00-0.4	11.3-79.4	58.2
	June	54.6	34.7-74.4		54.3	33.3-75.3	52 0 75 3	57.5	1	ę	1	59.0	39.4-78.6	61.4	3	26.8	38.6-75.0	62.4	17.8-82.81	DT. C	41.2-02.34	6.70	43.7-01.7	31.5-63.1 38.1-76.3 11.3-79.1 10.2-78.9 32.5-	58.2
	May	1,8,1	28.9-67.9 34.7-74.4 45.5-78.5 39.4-77.4		52.1	31.8-72.3	C+11112	55.6 57.5 63.4 58.3	1	0	1	50.2	33.6-66.8	48.8 61.4 62.9 61.3 56	0 i	53.5	33.9-73.0	49.9 62.4 66.0 61.3	33.3-66.11	7tQ*P	ZV-L-00.0 [41.07-02.5] 43.6 [-03.5] 41.02.5	10.10 0.00 0.20 0.00 0.00 0.00 0.00 0.00	30.5-00.5	31.5-63.1	19.8
		1950-51	1951-52				!	1954-55		1955-56		f ,				1958-59		1959-60	1	1960-61			10/0/0	1702-03	Mean for

TABLE 6

Mean Monthly and Minimum and Maximum Flows. Convict Creek. May 1, 1950 - April 30, 1963

Flow in Cubic Feet Per Second

Annual	21.3	22.3	32.8	18.9	18.	23.		23.07	23.4	31.4	l F	7414	11.2	13.0		26.8	.1 00
Winter Annual Mean Mean	13.7	12.2	Y. 0	0.6	8.1	17.6	- C	TC • 4	10.7	10.7	5	J.	6.2	8.6		10,1	000
Apre	11.5	13.4	30,7	12.6	R.14-21.7	12.6	9.4-17.2	9.0-13.4	12.8	12.0-14.0	8.7-13.8	0.4	ν. ω (16.2	8.1-39.0	11.7	
Mar	8.3	11.2	6.3	9.3	7.5-14.2	4.9- 9.3	8.1-10.3	9.9-13.5	12.8	10.2-Ib.9	8.0-11.8	5.0-10.2	10.8	3.1- 5.8	8.1-11.9	8.2	
Feb	10.4	11.7	7-1	8.5 8.5	7-!-9-5	6.3-9.5	10.9-21.h	10,3-13,5		10.7	6.7-11:0	5.0-9.3	다. 나.	3.5-5.8	4.9-17.3	16.0	000
Jan	10.6	م 10° ج 11	11.6	0.U-15.0	5.2- 9.6	7.2-12.8	N	~		10°7	8.4-13.0	6.2-8.9	m)	4.9-5.5	5.6-10.1	8.6	
Dec.	23.0	2.3-27	12.3	TO.U-141.1	8.8	6.611.9	N	7		10.0	9.0-10.9	6.0-7.1	7.5	6.2-10.2	5,9-10.1	7.1- 7.6	ר רר
Nove	18.9	10.7			0 m m m	11-13.2	6.8- 9.4	13.5-17.4	10.6	9.3-12.0 12.3	11.1-13.5	5.8- 7.1	8.6	7.1-10.2	6.3-8.8	7.5-10.9	100
Surmer Kean	28.8	32.4	56.1	28.8	28.9	32.3		72.4	36.1	52.1		0°T7	16.1	16.3		13.5	7 .10
Oct	7-1	9 0 8	15.9	10.0	8.5-10.8 7.2	3.1-8.7	7.2-11.0	16.3-25.8	11.3	15.0	11.9-19.1	8.1- 9.8	6.9	2.4-20.0	2.8-8.4	12.9	0.00
Sept.	12.2	13.5			11.3-15.4	9.2-12.6	11.0-17.9			7. 2 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		9.7-10.2		7.6- 6.E	7.7-11.9	7.2.0	7 16
Aur	13.0-23.1	23.8	25.2	31.0-30.1	16.2-40.3 11.3-15.	27.6-28.4	10-33.1. 11.0-17.9	36.2-85.0	25.8	C. 77	36.0-41.08	A.7-19.9	12.9	8.0-20.7 1	8.3-1.4	21.3-55.3	c ac
July	12.5		7.000	69.8~115.1 61.00		27.5-61.0	34.7-61.0	78.7-151.5	57.7	35.2-104.6 90.2	60.2-121.7	20.3-34.1	17.6	10.0-21.5	14.5-27.1	78.7 rr.3-111.0	a XL
			000000000000000000000000000000000000000	3-112.7	1.75-0.		9-1-42.9 39.0-122.4 34.7-61.0	17.6-59.5 60.6-161.2 78.7-151.5 36.2-85.0 22.6-36.1	83,3	39.7-13.50,35.8-104.60 18.1-31.00	111.5-03.4 59.9-183.9 60.2-121.7 35.9-41.8 19.1-34.4	13.8-31.9 27.5-5.5		13.0 33.3	~	27.6 21.4-37.6 55.2-157.1 66.3-111.0 21.3-55.3 15.8	1
June	61.8	66.2		92		3		_				_ , ,					
May	33.3 61.8	1951-52 30.9 66.2 1951-53 8	1952-53 43.2	73.411. 185.3-112.7 09.40-115.1 31.00-96.1 50.1-51.1 17.0 17.0 1 12.0	13.7-21.6 21.0-57.4 43.6-33.5 1.0.8 51.4 41.8	1550-661 33.5-92.3	9.1-42.9	17.6-59.5	1957-58 23.2	1958-59 39.0		13.8-31.9	1960-61 14.8	1961-62 13.0		1962-63 27.6	Mean for

TABLE 7

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California, 1950

	Feb. *			May	Jun		Aug	Sep	Oct	Nov	Dec.
Date Max. Min.	. Max. Min.	Max. Min.	Max. Min.	Max. Min.	Max. Min.	Max. Win.	Max. Min.				
				0.67	57.0	62.0 54.	63.0 56.	68.0 56.		51.0	41.0 36
10				19.0	58.0 50	62.0 55	62.0	67.0 55		51.5 43.	11.03
			10	1.7	RA O RO	63 O EE	AE 0 KI	Al. O EA		10 0 1:3	ער ש רין
			7	100	20.00	0000	0000	04.0		72.0 47.	41.00
				50.0	58.0 50.	02.5 50.	03.0 54.	03.0 50.		52.5 43.	42.5 30
			m	52.0	58.0 50	0.09	69.0 53.	63.0 55.		52.0 43.	43.0
				19.0	55.0 48	61.0 55.	69.5 53.	59.0 56.		51.0	43.0 39
				111.5	53.0 17	61.0 55.	65.0	58.0 55		51.5 42.	14.5 11.0
			1 60	2	5/10/16	61.0 56.	65.0 53	62.0 53.		51.0.12	11/10
			16	77	71017	67.0 56	65.0 A2	61.5 53		18.0	17
				77	T C	0.19	64.0 0.0	62. K R3.		16.0 37	1. F. O. 20
				200	いっている。	63 0 EA	60 CA	45 C L'S		1.2 L 22	1000
				37.	77.04	62 0 20	02.0	0000		16 0 00	40.00
12				51.0	54.0 40	03.0 50.	04.0 53.	02.5 53.		40.0 39.	144°C
				24.0	53.0 48	65.0	65.0 53.	63.0 52.	20.0	42.0	43.0
				56.0	55.0 47	66.0 58.	65.0	0 52.	56.5	39.5 3	42.0
				57.0	55.5	65.0 57.	65.0	0 51.	56.0	41.5 33	42.5
				57.0	51.0 49.	65.5 56	65.0 53.	52	54.0 45.5	42.5 35.	13
				56.0	57.5	64.5 57.	66.0 53.	55.0 52.		45.0 38.	12.5
				51.0	57.0 50.	59.5 52	65.0 54.	57.5 49.		13.5 11.	42.0
			100	55.0	57.5 51	65.0 57	66.0 55	53.5 50		16.5	1,2.5
			53.0 11.0	54.0	57.5 52.	65.0 57	65.0	60.0 50.		47.0 43.	42.0
21				55.0	60.0 53	60.5 57.	66.0 55.	59.5 50	12	17.0	1,2.0
				58.0	58.0 53	61.0 57.	66.5 55.	61.0 50	53.0 42.5	17.0	42.5
			54.0 39.0		28	61.0 58.	67.0	61.0 50.	- 6	78	42.5
				52.0	56.0 49	63.0	67.0 54.	61.5 50		17.0	3
				54.0	56.0 49.	64.0 59.	67.0	61.0 50.	12	-	42.0
			55.0 41.5	56.0	57.0 49.	63.0 57.	67.0 55.	62.0 51	42.	47.0 41.	10.5
				56.5	58.0 51.	66.0 57	68.0	62.0	9	147	41.0 34
				55.0	59.5 52.	66.0 57.	67.0 56.	60.5 50.	10	46.5 40	42.0 3
			38	55.0	60.0 53	66.0 56.	68.0	4.0 48	12	46.5 40	42.5
			20	57.0	60.5 54.	66.0 56	7.0 57.	172	1,2	43.0 38	38.0 3
				56.0	1	0	68	-	49.0 41.5	ı	34.5 33.
Mean			50.4 37.0	53.0 42.	4 56.4 49.8	63.2 56.4	65.7 54.4	60.6 52.0	53.5 43.h	47.1 ho.2	h2.7 37.
Monthly 35.0	36.1	39.1	43.7	47.7	53.1	59.8	60.1		1.8.5	1,3.7	30.6
Mean					1		•	ì	D.	10	0

TABLE 8

Daily Maximum and Minimum Water Temperatures, Convict Greek Station, Mono County, California. 1951

	Jan.	*Cay	E C	are	Apr.		May	5	aune	July		Aug.		Sept.	0	Oct.	Nov	7.	Dec	
Max	x. Min.	Max. Min	1. Max.	Min.	Max. Mi	n. M	ax. Min.	1. Max.	Min.	Max. M	in. M	lax. Mi	n. M	ax. Min	Nax	• Min.	Max.	Min.	Max.	Min.
38	9	0	0 37.	32.0	0	50	3	5 53.5		0	5.5 6	0	5	0	0 57		49.		0.6	35.0
38	340	0	36.	32.0	0	77	. 0	0 54.		0	6.5 6	N	5	0.	5 56		149.	38.5	9.5	32.0
35	35.	0	36.	32.0	0	0	10	0 54	47.		5.0 6		5	.0 53	0 56.	15.	Z,		0.9	32.0
38	34.	0	5 39.	33.0	0	50	5 39	0 56	148.5	1.0	3.5 6	30	90	.5 53	0 55.	779	52.		0	CV
39		0	0 39.	32.0	10	0.0	.5 4	0 57	148.	0.	9		.0 63	.5 53	5 54.	5 44.5	149	0.01	2.5	32.0
39	32.	0	0 38.	32.0	0	0	-	0 56		61.0 5	9 0.	7	5	0	0 56.	44.	50	40.5	3.5	32.0
39	32.	0	38.	32.0	0	50	5 39.	0 56	48.0	0	9 0.	3	.5 65	.0 52	5 56.	5 44.5	47.		10.0	32.0
38	32.	10	5 42.	32.0	10	5	0.	5 56.		J.	9 0.	0	75	N	0 57.	15.	49.	11.0	2.0	32.0
37	32.	0	39.	32.5	10	7	7	0		0	9 0.	2	9 0	70	56	0.040	1,80	39.0	3.0	32.0
32	32.	20	07 0	32.5	0	0	.5 42	5 57		0	9 00	0	9 0	0.054	0 54	5 49.0	2	40.5	7.0	32.5
32	32.	0	0 43.	32.5	0	0	5 43	5 56	50	0.	57.	7	9 0	0	0 54	-	45.0		0	34.0
32	32.	0	0 45.	32.5	10	0	.0 39	0 57.	20	N	7.0 6	0	30	0	0 53	0 43	2	10.0	7.0	33.5
32	32	41.0	0 45	32.5	0	0	.5 39	0 57	7	0	9 0	7	516	23	0 54	0	0	36.5	5.0	35.0
37	32	38.0	0 45	32.0	0	0	0	58		4.5	90	0	0	23	5 54	20	0	10.5	5.5	32.0
36	33%	40.0	5 11	32.0	10	70	5 40	09 0		10	9 0	0	77	2	0	0 45.	144.5	36.5	7.0	32.5
36	33	11.0	0 45	33.5	0	0	0	09 0	56	0	5	0	900	52	70	47.	43.5	35.0	7.5	33.0
37	.0 32.0	40.0 32.	5 45.0	32.0	51.53	39.5 58	8.0 42.	5 61	54.0	0.9	9 0	5.0 58	900	53.5 54.	5 54.0		70	35.0	35.0	32.5
34	32.	33.5	0 450	32.5	0	0	0	09 0	_	2.0	57	30	900		27		43.5	34.5	4.5	32.0
32	32.	37.5	0 46.	32.5	0	7	0.	5 59		0.4	5	0.	5	죠	5	44.	40.5	37.0	8.0	32.0
34	32.	39.5	0 47.	33.0	30	0	N	5 57		4.5	90.	30	0.	24	77		N	32.0	2.0	32.0
37	32.	38.5	0 47.	34.0	0	0	3	0 56.		4.5	9 0	0.	5.	23	5 51.		N	37.5	32.0	32.0
10	33.	37.5	0 47.	32.5	0	0	97 0.	0 58	53.5	7.5	9 0	3	52		N N	0	0	34.0	32.0	32.0
39	33.	34.0	0 47.	33.0	10	0	.5 47.	0 58	N	0.9	900	0	0.		5 57	0	10	34.5	2	32.0
39	32.	38.0	0 48.	32.5	10	0	5.5 47.	0 59	53.5	0.9	9.0.6	30	0.			0 42.	7	36.0	2	32.0
10	32	37.5	5 47.	33.0	10	0	3	0 60.	7	0.	9 0.6	0	25,	7	.5 44.	0	7	34.0	0	32.0
100	32.	35.5	0 48.	33.5	10	0	0	2 60	N	20	9 0	0	9 0.	0	0	0 42.	7	38.0	34.5	32.0
39	32.	37.0	0 47.	32.5	10	00	9.0 52.	20	55.0	0	0.5 6	0				0	43.0	37.5	30	32.0
38	32.	37.0	0 48.	32,0	0	0 72	0	9 0	N	N	0.5 6	0.	30	.5 49	.5 51.	0	7	36.0	34.0	32.0
37	32.	99	- 42°C	35.0	10	0.0	0.	25	N	7	9.5 6	0.	Ŋ	67 00	.5 56	0	7	36.0	32,0	35.0
33	32.	1	- 46°C	33.0	10	0	0	5 62	57.0		90.	_		.0 49.	5 50	0 41.	45.0	37.0	32.0	35.0
34	32.		- 47°5	32.5		70	3.5 47.	rv.	-	67.0 5	9.5 6	3	2		3	0 17		1	32.0	35.0
an 36		39.2 32.	·6 43.6	32.	50.6 3	7.8 5	4.8 43.	5 58.1	. 52.0	64.0 5	9 9.6	n.9 56	.6 63	·4 52	·8 53.	0 43.7	44.9	37.7	34.6	32.4
thly	34.6	35.9	38	3.1	44.2		49.2	55	ri	8.09		8.09		58.1	7	78.7	41	3	33.	ν,
Tic all																				

TABLE 9

Daily Maximum and Minimum water Temperatures, Convict Greek Station, Mono County, California. 1952

	Jan	-	ep.	Mar		Apr	•	May		June		July	_	Aug.		Sept.		Oct.	I I	ov.	De	c.
ate	5	n. Max	. Min.	Maxe	Mine		Fin.	Yax. N	in. M	Mi	n. K	ax. Mir	n. Max	Mi	n. Ma	ax. M	n. Max	x. Min	. Max	Min.	Max	
	32.5 3	.0:33.	32.	36.	1,7		0	0	Ju)	7	0	0 49	0 59	0.0	0.0	0	9 2	7	0 52.	43.	38	32.0
^.	32.0 32	.0 33.	32.	37.	0.0	10.	7	7	0	7 17	0	200	0 61	0.	9	7	52	0 50.	0 51.	12	38	32.
~	32.5 38	.0 32.	32.	37.	V.	10	M	0	٦٠'	0 47	1	0 51	09.0	r.	57	0	.0 59	7	0 51.		39	33.0
arealy.	33.0 32	.0 35.	\$ 32.0	370	2.0	10.	-	Tr.	0	0 49	0	0 51	0 62	7		.0 55	•0 59	0 50.	0	1,10	39	34.0
10	32.5 32	.0 36.	32	32	2.0	20	0	7	0	67 0	0	0 52	5.61	0.	9 0	凡,	0 59	50°	52	42.	36	34.0
	33.0 32	.0 36.	32.	33.	0.	20.	0	0	0	67 0	0	0 51	9 0	· 5 56	9 0	3	58	20	0 5	13.	39	32.
7	32.5 32	.0 36.	32.	35.	2.0	10	0	0	1	0 42	0	5 52	9 0	5 56	9 0	0	0.58	67	5 49	13	33	33.0
0	32.0 32	0 35	32.	36.	2.0	20	0	0	0	0 47	0	5 52	9 0	0 56	.5 61	0	5 59	49	5 51.0	12	37	32.0
6	32.5 32	.0 37.	32.	38.	3.0	10	M	7	0	97 0	0	5 52	5	25	0	0.	58	118	50	10	38	32.0
0	34.0 32	.0 37°	320	34.	2.0	10	Tr.	0	0	5 45	0	0 52	0	0 55	3	0	0 57	47	5 49	70	38	340
Н	35.0 32	0 35	0 32.	36.	2.5	0	0	0	0	7 15	0	0 53	9 0	75	N	0	5.57		20	42,	39	34.
01	32.5 32	.0 36.	32.	34.	2	0	0	0	0	5 44	77	0 51	0,0	5 56	2	0.	58	148	0 47		97	34.
5	34.0 32	.0 35.	32.	37.	2°0	0	0	0	0	0 45	0 56	0 52	9 0	0 55	77	0	58	148	50	122	07	35.0
_	32.0 32	.0 35.	0 32.	330	2.0	0	0	0	N	5 15	0	0 52	57	0 55	r,	N	0 57	148	0 43	39	100	35.
10	32.0 32	.0 37.	0 32.	32,	2.0	0	0	1	R	0 45	0	0 52	900	5 55	70	3	5 57	18	0, 42	38	100	35.
9	34.0 32	.0 35,	32.	35	2.0	0	0	0	0	24 0	0	5 53	15	0 56	50	0	56	19	0 11	10	07	35.0
7	32.5 32	.0 34.	32.	37.	3.5.	0	20	0	41	5 19	0	5 53	5	50	30		95 0		77 15	370	39	35.0
00	33.0 32	5 33	32,	32.	5.0	20	0	17	2	27 C	1,	0 53	12	rv	9	0.	5 56		0 45	3	107	33.
0	35.0 32	.5 34.	0 32.	32.	2.0	0	0	J.	0	0 148	0	0 54	90	7 55	3	0.	55		0 15	38	35	32.
0	33.0 32	.0 34.	32.	32.	2.0	20	0	0	0	5 48	Tr'	0 54	54	0 56	0	0.	0 56	147	0 45	38°	37	35.0
H	32.5 32	.0 35.	0 32.	32.	2.0	0	0	0	M	67 0	0	0 55	0,0	0 56	7. N	0	95 0	148	5 15	39.	37	32.(
CJ	32.5 32	.0 36.	32.	32.	2.0	()	0	۲.	0	67 5	0	0 54	9	95 0	7	0	0 56		되	37	37	32.(
3	33.0 32	.0 36.	5 32	35	2.0	0	1	10	0	67 0	0	0 55	0	0 57	7	15	55	76	0 45	36.	35	32.
_	32.5 32	.0 37.	32.	36.	3,4	m	Tr'	0	0	70	0	7 55	171	5 56	0 N	0	30	97	0 43	340	35	32.
10	33.0 32	.0,37.	32.	38	3.0	0	2	0	N	27 0	0	0 56	90	0 55	77	0	55	15	0, 43	36.	35	32.0
0	32.5 32	.0 36.	5 32.	39.	2°,7	25	N	0	0	0 47	0	95 0	0	0 54	N	0	55	5	0 42	35.	36	32.
2	33.0 32	.0 37.	5 33.	39.	2.0	0	0	0	0	7 0	0	0 55	90	0 54	0	7 7	.5 54	7	0 42	34.	36	32.
8	32.5 32	.0 38.	330	39.	2.0	0	0	3	0	70	0	0 55	90	0 54	50	7. TU	0 54	777	0 42	34.	36	32.
0	33.0 32	.0 38.	5 32	39.	3.0	()	0	3	0	7	15	0 54	77	5 54	9 0		.0 53	77	17 0	35	3	32.
0	33.0 32	<u>г</u>	5	7000	0	0	٦٠,	_	0	77	- 0	0 54	- 0	5 54	9 0	0.0	·0 54	7	0 41.	0 34.0	33.5	32.0
_	33.0 32	0	8	10.5	ou.	4	1			1	- 57	5 49	25	D N	7/	1	- 54	·0 14.	0	1	35.0	32.
H.	32.9 32	.1 35.	6 32.4	35.	32.4	42.5	35.4	51.3 4	2.3 5	4.4 47	.0 57	.9 53	.0 62	2	.3 59	.2 51	•6 56	.8 47.	6 46.	5 38.9	-	33.
- L	nly 32.5	M	34.0	340	T.	39.	0	46.8	-	50.7		55.5		58.8		55.4		52.2	7	2.7	35	5
Mont)	32.9 32 11y 32.5	1 35	0 35	35.7	325	39.	35.4	m 9	2,3 5	50.4	5	55.5		0 m		55.4	0	2.2		7 77	46.5 38.	46.5 38.9 37.

TABLE 10

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California. 1953

Dec.	ax.		0	0.	1.6	0	10	0	10	70	10	0	10	0	0	0	20	0	0	0.5 34.5	0	20	30	20	w.	20	0	20	0	0	0	7.0 32.	9.2	36.4
Nov.		50.5 44.5 4	9.5 45.0	0.0 42.5	9.0 41.0	8.0 41.0	7.0 39.0	7.5 38.0	8.0 38.5	0	6.0 41.0	0 38.5	5 40.5	0.0400	5 40.0	5 38.0	5 38.0	37.0	0 36 0	.5 36.0	·0 34.5	0 33.5	10	.5 39.0	0 38.0	5 39.0	0 38.5	0 40.5	5 38.0	0 37.5	20	1	45.9 39.0 3	42.5
Oct.		59.5 49.5	57.0 47.	58.0 46.	58.0 46.	58.5 47.	59.0 48.	60.0 LB.	58.5 48.	58.5 48.	55.0 48.	55.0 45.5	56.0 46.0	56.0 45.5	0.74 0	·0 43.5	54.5 14.0	55.0 45.0	19.0 14.0	19.0 14.0	53.0	47.0 43.	14.5 42.	49.0 43.	50.0	51.0 42.	52.0 42.	54.0 45.	54.0 45.	52.5 43.	0	0	54.1	1.64
Sept.	Max. M	62.0 52.	64.0 52.	65.0 54.	64.5 53.	64.0 54.	62.5 55.	64.0 53.	64.0 53.	65.0	65.0 5h.	64.5 53.	,62.0 55.	61.5 54.	61.0 54.	0.19	61.0 53.	62.5	62.5 53.	62.5 52.	61.0 51.	61.0 50.	61.0	61.5 49.	62.0	62.0 50.	61.5 51.	58.5 51.	60.5 50.	61.0 50.	60.5 49	1	1 62.3 52.3	57.3
ahrenheit Aug.		5.75 5.49	64.0 57.	63.5 55.	64.0 55.	64.5 5	65.0 55.	65.5 55.	65.5 56.	95 0.99	66.0 56.	66.5 57.	65.0 57.	64.0 56.	65.0 56.	65.0 55.	65.0 56.	65.0 55	65.5 56.	0 56.	65.0 55.	65.0 54.	66.0 56.	65.0 55.	64.0 5	62.0 52.	3.0 52.	63.5 52.	62.5 53.	1.5 51.	60.09	0 59.0 52.5	1 64.3 55.1	59.7
degrees Fa	Max. Min	57.0 50.	57.5 51.	58.5 51.	58.0 51.	58.0 52.	60.0 53.	61.5 54.	60.0 55.	60.0 56.	60.5 55.0	0 61.0 55.5	5 61.0 55.0	0 60.5 54.9	62.5 55.0	61.5 56.0	62.5 56.0	63.0 56.0	62.5 56.0	5 63.5 55.5	64.0 56.	5 63.5 56.	5 63.5 57.	0 64.5 57.	5 64.5 57.	63.5 56.	63.0 56.	0 64.5 53.	0 64.5 53.	0 65.0 58.	65.0	58.	7 61.9 55.	58.5
Temperatures in	Max.	149	54.0 41.	50.0 43.	51.0 44.	52.5 14.	55.0 45.	53.5	55.0 42.	55.0 43.	56.0	56.0 45.	55.5	55.5 45.	57.0	56.5 47.	53.5 48	55.0	54.5 47	56.5 48	56.0 48.	55.0 48.	56.5 49.	58.5 51.	58.0 52.	57.5 51.	N. N.	56.0 49.	57.0	57.0 50.		1	55.2 46.	51.0
Temper	Max. Min.	49.5 35	52.0 37.	54.0 39.	55.0	55.0	54.5 42	53.5 39	50.0 36	52.0 37.	51.0 38	52.5 37	54.0 37	55.0 40	54.0	19.0	52.5	54.0	56.5	54.	55.0	54.0	55.5	47.5	52.5	46.5	50.0	43.5	45.0	54.0	53.0	0	-	15.8
Apr.		52.0 35.0	36	37	38	37	36	32	32	32	32	32	32	38	34	35	36	0 34	36	38	38	39	07 C	2 5	2 5	97 C	0 42	5 43	0 36	36	35		50.2 36.5	43.4
Mar		34.0 32.0	32.	32.	32.	32.	33.	32.	32.	33	32.	32.	32.	32.	32.	33	32	32.	32.	32.	32.	32.	33.	33	33	33.	34.	35.	33°	33.	6. 1	36.	1	38.6
Feb.		40.0 32.5	40.0 32.0	40.5 32.0	40.5 32.0	40.5 35.0	42.0 34.0	40.0 32.0	36.0 32.0	35.0 32.0	35.5 32.0	39.0 32.0	38.0 32.0	39.5 32.0	41.0 32.0	39.0 32.0	40.0 32.0	40.5 32.0	33.0 32.0	33.5 32.0	35.0 32.0	36.5 32.0	39.0 32.0	33.0 32.0	38.0 32.0	39.0 32.0	32.0	32.0	32.0	1	I t	t t	38.6 32.2	35.4
Jan		5 32.0	5 32.0	0 35.0	0 32.5	0 35.0	0 32.0	0 32.0	0 32.5	0 33.0	0 33.0	5 33.0	0 34.0	0 32.0	0 32.0	0 32.0	0 32.0	0 32.0	0 35.0	5 35.5	0 32.0	0 35.0	0 35.0	5 32.0	5 32.0	5 32.0	5 32.0	5 32.0	.0 32.0	0 32.	0 32	.5 32.	.2 32	hly 34.8
	Date	1	2	Μ.	7	N	9	7	. ω	6	10	11	12	13	구	15	16	17	18	19	20	21	22	23	24	25	56	27	28	29	30	31	Mean	ont

TABLE 11

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California, 1954

(4)	Jan. 36.5 36.5	32°	Fe Max. 37.0	Min. 32.5 32.5	Ma L2 L1	32. 32.	Max 147 148	388	Max. 55.5 58.0	Min. 37.0 37.5	Max 55	Min 47.	Ju Max. 61.5 62.0	Min Min	1<11 × 1 0 0	Min 78	Max 61 66	Min Str.	E WW	E E	Max L7- L9-	Min 38.	38 Ha	000
	37.00	32	3383	32 32 32 32 32 32 32 32 32 32 32 32 32 3	E C C C C C C C C C C C C C C C C C C C	32,32	148 146 148	2222		0.0000000000000000000000000000000000000			63.	47.44	6550	なななが	70770	7272 7272	001010	である。	178 178 178	33836	50000 10000	2000 2000 2000 2000
H6987	320000	32,000	37.00	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	120 00 00 00 00 00 00 00 00 00 00 00 00 0	man man	150 50 50 50 50 50 50 50 50 50 50 50 50 5	20000000000000000000000000000000000000	88788	2500000	24888	177. 147. 146. 146. 146. 146. 146. 146. 146. 146	99999	777777	385583		63 664	0 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	122222 122222	2000 2000 2000 2000 2000 2000 2000 200	12 C C C C C C C C C C C C C C C C C C C	20000000000000000000000000000000000000	38,39	004.001
	32,000	35 35 35	****	33 33 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	588899	200 M	252825	28885	いなななが	200 P	120 5 E	にいた。		12777		22222	29 65	10 20 20 20 20 20 20 20 20 20 20 20 20 20	322825	2020	ででで	010101010	386366	
	3220000	35 35	******	20000000000000000000000000000000000000	55%3%	3228	27,27,2	なるなけれ	N. 29 K2 K2 K2	12 12 12 12 12 12 12 12 12 12 12 12 12 1	52886G	2775	665000	27777	05000	NAWE.	61	225E	00000	で で で で で に に に に に に に に に に に に に	12 C C C C C C C C C C C C C C C C C C C	201000	38888	
	3220000	32 32 32 32 32 32	15 6 3 3 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	32222	中で当代で	32228	722027	いるないで			625 627 67 67 67 67 67	22222	00000	22882	60365	PNNNN	659.65	2222 2222 2222 2222 2222 2222 2222 2222 2222	5555	3888	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	101010010	38868	
	32.0	3233	12.	32.5	の世界で	3222	227	3345	8 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	47 - 57 - 57 - 57 - 57 - 57 - 57 - 57 -	2002	2223		777 777 770 770 770 770	63.0 66.0 66.0 65.0	22722	25.7.78	0 179	172 PP	50 36 50 36 50 38 50 38 50 38	9999	10000	own	000000
214 2	34.1 h1y 3	4.1 0	37.3	32.5	41.1		52.3	38.0	56.4	3	57.5	49.2	1.40		59	2	5	5.5	2	00	3 40.	2.8	0 30	3 75

TABLE 12

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California. 1955

	Min.	35.0		- 6					33.5			36.5			37.0	37.5	36.5	36.0	37.0	36.0	35.0	36.0	-	40.5	40.	-	-		-	400	-	22.5	0	35.0	8
Dec	Max.	0	38	38	38	0 0	7	175	10.	17	43.	144.0	44.	15.	146.	1	42.	42.	42	38.	70	42	12.	143.	41.	3	3/0	37.	3/0	36.	36.	36.	7	1 40.5	37
0	c. Min.	0 4	5 39	0 39	25	10	0	0	20	n	M	0	10	30	30	10	10	0	36	0	0	0	20	0	0	LO	(1)	10	0	0	01	2	1	3 38.	42.7
Z	n. Max	N	3	7	7	15	V.	n	S	5	15	50							47.5 42.													170	2	177 70	
Oct.	ax. Mi	63.0 48	S	0	C	0	0 1	S.	1.0	1.0	2.0	3.	7,	7.5	3	200	0.6	8	S.	3.0	m L	7.0	r.,	7.	יא	000	0.0	W.	4.5	1	5.2	4.5 43	1.5 4	97 7.8	52.4
۰	Min. M.	'n	0	N	\ C) [Ú,	5	9 0	50	37	0	9 0	9 0	70	N	N	0	N	0	0	0	0	Ö,	RV.	0	O ;	rů. rů.i	N.	0	0,1			53.7 5	2
Sept	Max.	71.5	71.0	71.5	60° A	2000	0%0	0.69	70.0	0.69	69.5	70.5	70.07	70.07	67.5	65.0	61.0	0.49	61.0	53.0	0.09	0.49	64.5	65.0	63.5	63.0	61.0	63.5	63.57	62.5	63.5	63.0	1	65.6	59
Aug.	Min.								5 59.0			5 60.0	-	5 61.0	59.	59°0	58	5 59	58	58.	53.	5 60.	2 60	0 61.	0 61.	0 61.	58.	56.	26	5 56.	0 56.	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 500	9 59.	9.119
anre	n. Max	70°		0 67	09 0	2	0 02	.0 67.	-	170.	69	70.	170.	68	70.	0170		0	0	0	0	0	(0	0	0.		20.	20.	2 70.	7.7	77	07/	7 69.	9
July	ax. Min	0.	9.0 51	0 19	01/0	77 0	0.0 47	·0 49	05 00	0.	0			52	5									200	0 0	8.0	5.	0.0	7. 2.	2002	ω π,	59.0 57.		9.0	63.5
u de	Min. M	0.	13.0 5	T.		7 5	300	00	£0.02	52.0,6	0.	0	000	35	0,0	90	9	00	19.0 6	90	0	0	0	0	0	0	0.0	0	1.0	0.0	0.0	0.0	1	49.1 5	7
y Jun	Max.	53.0	54.0	001	9	000	7.0	0.09	0	0	62,0	62.0	61.0	0.09	0.09	59.0	58.0	57.0	55.0	56.0	56.0	56.0	56.0	56.0	25.0	57.0	56	11	п /	n,	, m	7,00	-	57.6	23
remper ay	Min	34.		7	27	- 50	3												0 40.5													148	11110	6 70 9	7.3
Ma	A Max	0	70	1	10))	Ú	0	0	7	30	10	20	30	0	0	0	30	0	N	0	N	Ñ	0	0	N	0	W.	N.	R.	Ň			.5 53.	177
Apr.																	12	35	3.0 34.	32	32	8			37	37	36	32	32			42.5 35	3	7.7 34	41.1
	in. M	32.0 4	32.01 h	30 5 11	100 C	7000	32.5 4	32.0 L	32.0 5	32.5 5.	33.0 5	32.0 4	32.5	32.0 5	32.5	32.0 5	32.0.5	32.0 4	32.0 4	32.5 4	32.5 4	32.5.4	32.5 4	33.0 5	33.0, 5	33.5	35.0 4	35.0 4	35.5	36.0 4	34.0 4	32.514	33.0	32.9 4	2
Mar	Max.	-		-						-	_	-	. 5	200	. 10	11	-	200	0	30.	(0	0	20	0	10.	1.1	111	-	13	0	47.0	0	-	38.
eb.		32.	32	30	100	26.	300	322	32.	32	32	32	32	32	32	32	3/10	33	5 33.0	32	32	32.	32.	32.	35.	32	32.	35	32	320		8		5 32.4	5.0
TH	Max																		0 40.5													0	-	.2 37.	m
Jan.		32	32	2	10	7	32	32	32	32	32	32	32	32	32	2	32	32	32	32	32	32	32	32	32	32	32	32	32	32	3	35.5 33	32	32	y 33.5
	Date Ma																															30		C	15 C

PABLE 13

1956 Mono County, California. Convict Creek Station, Temperatures, Minimum Water and Daily Marchmum

38.5 Dec. 2. 11.00 39.0 0.97 166.57 126.57 44.0 0.44 43.0 43.0 42.0 43°C 39 42.0 12.0 38.0 1 43.0 -Nov. NN NN N NN NN N 147.55 148.00 149.55 52.0 3.0 52.5 48.0 50.0 50.0 148.0 48.0 43.5 46.5 47.5 47.0 777 44.0,47.5 16.0 47.5 47.5 12 18 18 18 18 18 18 Oct. 3 59.0 0.19 61.0 51.0 50.0 52 27.20.20 27.20.20 27.20.20 27.20.20 27.20.20 27.20.20 27.20.20 27. 57.5 777777 07.7077 2727 57.0 54.5 Min. Sept. 59.0 66.0 58.5 67.0 58.5 66.5 58.5 65.0 58.0 67.0 58.5 65.5 57.5 65.0 57.5 65.5 68.0 68.0 59.0 65.0 58.5 65.0 65.8 58.0 65.5 19 58.0 56.0 0.9 Min. Fahrenheit Aug. 2 67.0 0.99 67.0 68.5 67.0 Max. 67.0 67.0 66.17 67.0 67.5 0.49 64.5 64.5 66.5 67.0 66.5 64.5 62 5,26.0 58.0 59.0 7,888 9,887 1,777 57.0 58.0 55.5 54.5 58.5 Min. degrees 20 WWWWWWWWWWWWWWWWWWWWWWWWWWWWWWWW 63.0 2,0 2.0 0°49 64.5 0.49 3.5 Jul 0.4 3.2 64.5 50 878787 878787 56.57 53.6 Min. in une 9 Temperatures 0.19 0009 61.5 62.5 5000 5000 5000 0000 1150000 115000000 62.5 63.0 0.19 3.0 23 51.0 1400 48.5 50.5 52.5 Min. 44.5 42.5 41.5 44.5 CV 77.00 77.00 77.00 77.00 May 56.0 27.0 61.0 57.0 62.0 1388 0 2 8 8 6 0 2 2 0 0 59.5 52 0.14 41.0 44.5 37.C 37.5 40.5 0.07 41.0 44.5 14.5 44.5 36.0 38.0 37.5 41.5 Min. Apr. 3 54.0 57.5 55.0 587.57 57.0 Max 9 39. 35.0 37.72 5.0 2 Mar. 32.0 46.0 19.0 39.5 10.04 44.5 47.0 48.57 39 3222 33.0 32.0 33.0 32.0 32.0 32.5 322 0 ep. 33.0 3.0 35 Maxe 35.00 32.0 36.0 32.5 34.9 Jane 22222 32.0 32.57 39°C 37.5 38.0 39.0 10.0 37.5 39.0 3888 36.5 0.04 38.5 39.5 36.7 Monthly Mean Date 3838838588878867888

TABLE 14

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California, 1957

		fin.	0	200	0.	25	0.0	0.0	0.	0.0	0.	30	0.	7	0	30	0.0	0.0	2	3	0	7	2	0.	Ŋ	70	0	2	0 1	rů, s	V, r	ů ri			
	Dec.	2	0 35	0	20	0	0	3	20	0	20	20	20	0	10	0	0	20	0	20	20	'n	20	0	20	20	JV.	LO 1	LO 1	200	7 1	00	1 35	6	
		Max	5 45	0	0	20	70	0	10	10	0	30	0	$\overline{}$	10	0	0	20	10	10	0	0	10	0	10	10	10	0	0	0	20	700	7 1.2		
	V.	in	144.	17.	12.	17	17.	10	39.	1,2	17	11.	41.	1	口。	10	38	37.	37.	10.	42.	10.	37.	35	39.	38	38	39	200	m 1	35.00	20.	39.	9	
	No	Max	54.5	15.5	148.5	16.0	16.5	49.5	50.5	149.5	50.0	1,805	0°67	19.5	19.0	47.0	44.5	43.0	1400	47.5	19.5	19°0	40.5	15.5	0.64	0.64	0,1	۱ 👡	ů,	46.5	200	- H	47.4	43	
		Min.	30	3	0	0	0.	3	3	3	3	'n	N	0	7	7	7	3	7	0	Ň	0	0	N	N.	- 6				47.5		1 -			
	Oct.	ax.	1.0	200	2.0	8.0	7.0	5.5	2.2	7.5	30	8.5	5.2	7.5	0.7	3.5	200	W.	3.2	7.0	0.9	3.0	1.0	0	0 0	0.7	70	0	0.0	0	0 r	0	200	51.	
		n. M	20	50	0	0	7/	0	70	70	70	70	7	70	7V	7V	0	0	70	0	77	7	<u>ア</u>	70	7V	N.	7V	01	~ J	rV J rV J	V r	U II	1.57	1 1	
	Sept.	c. Mi		0	0	0	0		0	0	20	0	0	M	0	0	20	0	0	0	M	0	20	0	n	0	in i	LA 1	5	0,1	nl	2	0 55	7	
		• Max	67	68	68	67	69	69	0		0	70	5 70	0	9	0	9	9	5 63	9	9	0	0 66	0	9	0	0	0	0 \	0 65	0 4	2 Tr	67		
eit	20	Min	500	59	909	59	57.	56	58	58	28	58	57.	56	28	59	57.	59	58	55	60	59			-	-	-	-	-	-		7			
ahrenhei	Aug	Max		- 0	0	o		œ	0	0	0	0	0	ô	ů	8	0	ř	ů	0	1:	i.		0	0	ô	0	· 1	Š-	04.5	0-	67.0	6	63	
ET.	A	Win.					59.0																				00 c					2000	- I	-	
grees	Jul	ax.	N	N	0.	Ň	0.	'n	0.	0.	0.	2.0	7.0	5.2	5.5	6.5	7.0	7.0	7.5	8.0	7.5	5.5	6.5	0.	'n	0	0	ارًا	21	5	2		2	62.4	
in de	-	n.	70	10	10	9	5	70	rv rv	9	20	9 0	9	10	10	20	50	9	9	30	30	9 (70	9 0	9	9	9	0	0	0 \	0 7	7 0	9 77.		
	E	c. Mi					5 52		·0 54		20						-		0	0	0	0		3		W.	5 57	-	01	733	NZ		1 53	57.3	
ratu	2	Max	0 63	5 63	63	63	62	5 61	5 63	99 5	55	57	0 57	20	50	52	5 57	0 57	59	9	61	61	9	9	62	19	65	70	70		200	V 7.	61		
Temperatures	>	Min	3	7	7	75	7	16	47	7	3	1	166	3	5	7	77	15	97	17	13	42		5	5	5	5	97	27	179	46	110	15	9.	
H	Maj	Max		58.5	1	-	CV	$\overline{}$	0	0	-		_	0	-	8	8	0			20	H	20	P-	∞	M	0		2	20 1	0	61.6	1	-,	
		Min.	35.0		- 6					- 0			- 0			- 0	- 0		- 0					- 0	- 0			- 0		13.0		• 1	38.6	3	
	Apr	ax.	10	10	0	20	10	0	10	0	0	0	0	0	0	0	0	10	10	20	0	0	0	10	0	10	0	0	0)	50.5	5	2	0.17	46.	
		n. M	0	0	0	0	N	Ň	Ň	7	Ň	0	Ŋ	Ň	N	Ñ	in	70	0	N	3	7	70	0	0	0	0	0	3	0.9	Ž F	0	1 0		
	Mar	x. Mi	0	N	3	w	N	0	N	0	0	N	0	M	0	0	0	0	0	Ŋ	3	0	0	N.	Ň.	Ň	0	0	0	O I	v (5 T	1-	l-i	
		• Max	719	15	122	12	77 0	5 13	67 0	0 1/9	2 16	0 47	5 49	5 12	5 16	0 47	5 42	5 15	7710	0 42	5 15	0 49	5 5	0 15	5 47	50.	31	52	77	2 70	7 5	200	7 46		
	p.	Min	33.	33.	32.	32.	32.	32.	34.	33.	32.	33.	36.	37.	36.	36.	37.	37	36.	36.	34.	35	36.	35.	33.	33	340	35	25	30	1	1 1	34.	다	
	ET.	Max	36.5	37.0	38.5	38.5	38.5	38.5	38.5	37.0	33.5	39.5	1,2.5	12°C	43.C	13.5	15.0	44.0	146.0	76.0	45.0	42°C	144.0	17	40°C	38	45.5	43.0	7001	45.5	1	1 1	1,1.	38	
		Mine	3	3	-	å.	7	3	S	S	2	2	S	3	3	2	2	S	S	2	2	3	2	2	ci.	0	2	N'	V C	v c	, c	32.5	2	6.	
	Jan	fax.	-	N	-	0	0	00	00	3	3	~	0	-	-	-	-	∞	9	-	0	N	~	~	00	M.	7-	J -	ゴイ	2/5	2	300 000 000 000	1	Ly 34	
		ate M		_								_		_			-											_				3 5	1	명합	
		PI																															Σ	Mo	

TABLE 15

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California, 1958

Min.	39.	5 40.5	41.	43.	11.5	10.	10.	11,	10.	10.	口。		38	37.	37.	38	38.	38.		38	39.		36.	37.	39.	38	37.	340	33	36.5	2	38	2.9
n. Max.	0	1.5 50.5	0	0	0	0	0	N	3	0	N	0	N	N	N	'n	N	0	J.	N	Ň	0	0	W.	rů	0	W,	1	ر م	5		2.3 46.	77
Nov.	0	56.5 44.	7	0	C	7	2	S	N	7	5	53.5 44	0	0	0	0	3	N	N	0	0	N	0	0	5	0	N.	0	48.0 38	0	-	51.6 45	1,7.0
ct. Min.	55.0	0 54.5	54.0	53.5	53.5	54.5	53.5	53.0	54.0	53.0	53.0	0 52.5	52.0	52.5	0 52.5	0 55.0	5 52.5	0 53.5	5 51.5	7.0	0.040	5 45.5	5 49.5	0 51.0	5 51.0	0 52.0	0 48.5	0 48.0	0.24	144.0	0 45	4 51.2	6.3
Max	99		.99	.99	65	65.	64.	65.	65.	64.	64.	64.	64.	63.	64.	63.	63.	.09	288	58	58	57	22	52	56	23	200	28	57	6, 3			<u>r</u> v
Sept.	5 61.	5 61.	.0 59.	5 57.	0 58	5 59	.5 60.	.5 60.	0 58.	5 57.	0 58.	.5 57.	52.5	.0 55	.5 56.	.5 56.	.0 57.	5 57.	.0 57.	5 56	.0 56.	.0 57.	5 55	5 53	.0 52	5 54.	5 54.	0 54.	25	.5 55.		6.9 57.	62.0
Aug. Max. Min. M	.0 59.0	0 59.5	.0 58.0	0.09 0.	0 60.5	5 60.5	0 61.5	0.19 0	0.09 0	0 61.5	0 61.5	63.0	0.19 0	5 62.5	5 62.0	0 65.0	0 60.5	5.09 0	0 59.5	.5 60.0	0.09 0	0.190	.5 61.0	5 60.5	5 60.5	0 60.5	0 61.5	.5 60.5	.0 60.5	0 62.5	•0 62.		64.7
grees Fahre July sx. Min. Ma	0 53.0 6	5 54.5 6	0.55.0	.5 56.0 6	.5 56.5 6	0 58.016	0 58.516	0 57.5 6	.5 58.5 6	0 58.5 6	0 57.5 7	9 0.09 5.	5 58.5 6	9 0.09 0.	0 58.5 6	0.88.0	0 57.5 6	.5 57.5 6	0.8500	0.65 0.	9 0.09 0.	9 0.09 5.	.5 59.0 6	.5 57.0 6	.0 59.5 6	5 59.5 6	.5 60.0 6	0 60.5 6	5 58.0 7	0 58.5 7	9.0 7	.3 58.1 6	61.7
June in de	0 52.0 6	0 50.5 6	0 49.5 6	5 50.016	5 51.0 6	5 51.5 6	5 5000 6	0 50.5 6	0 49.5 6	0 51.0 6	0 50.5 6	0 49.5 6	0 50.5 6	5 49.5 6	5 51.5 6	0 54.0	,5 52.5 6	0 53.5 6	0 53.0 6	5 53.5 6	0 53.5 6	0 53.5 6	5 54.5 6	0 54.0	5 55.0 6	0 56.0 6	0 56.5 6	0 55.0	0 55.0 6	0 52.5 6	1	9.5 52.3 6	55.9
Temperati May ax. Min. Ma	5 40.0	5 40.5	0 42.5	0 44.0	5 43.5	0.44 0.	5 43.5	0 44.5	5 48.0	0 49.5	0.010	0 77.0	5 45.0	5 45.5	5 148.5	5 48.5	5 51.0	5 50.0	5 49.5	0.15 0	5 51.5	0 50.5	0 49.5	5 49.5	5 50.0	5 50.0	5 49.5	5067 0	5 51.0	5 52.0	0	Lo	53.9
Apr. ax. Min. Ma	33.0	32	33.0	33.0	32.5	35.0	35.0	34.5	35.0	35.5	35.5	34.5	3400	35.5	311.5	35.5	37.5	38.5	36.5	37.5	36.5	36.5	35.5	35.0	36.0	36.5	5 37.5	0.88.0	39.0	0.040	1	35.6 60	42.1
Mar.	33.0	0 32.5 42.0	32.5	33.0	33.0	34.0	33.0	33.0	32.5	32.5	311.5	33.0	33.0	34.0	33.5	33.5	35.0	32.5	33°0	36.0	35.5	33.5	34.0	35.5	33.5	33.0	34.0	35.5	35.0	33.5	33.0	3 33	38.0
b. Min. M	32.5	32.5 41.0	33.0	33.0	33.5	34.0	34.5	33.5	33.0	35.0	32.5	33.0	33.0	34.0	34.5	34.5	35.5	35.0	37.0	36.0	34.0	35.0	35.0	35.5	33.5	33.0	33.0	33.0			777	34.0	7.9
Fe Hax.	39	37.0	38	39.	10.	1,00	41.	39	17	43.	El.	38	39.	12.		13	15	177	17	144.	146.	15.	16	15	38	142.	42	70		1	1	0 41.8	3.
Jan.	33.	39.5 33.0	34.	32.	32.	32.	32.	32	32	33	32	32	32.	32	32	34	32	32	32	32.	32.	32	32	35	33	34.	32	35	350	33	32	33	50
Date		1 0	(1)	7	w	9	2	8	0	10	11	12	73	77	12	16	17 1	18	19	20	21	22	23	24	25	56	27	28	29	30	31	Mean	Month

TABLE 16

1959 Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California.

TABLE 17

Daily Maximum and Minimum Water Temperatures, Convict Greek Station, Mono County, California, 1960

1																																			1	
Co	Min.	32.	32	30	100	35.	32.	32	30	260			32	30	200	300	200	200	20.	300	32	32	32.	35.	34	32.	2	32.	33.	32	32.	32	32	32.0	32.3	2
De	Max.	37.0	38.5	280	1000	3(0)	36.5	34.0	24.0	0000	37.0	38.0	39.5	38.0	2000	27	2000	26.70	2000	30.0	37.0	37.5	40.5	42.0	40.5	0.04	0.07	-		36.0		- 0	0	38.5	8	3.5
	Min.	113.5	13.5	74	13	30.5	39.0	39.5	34 7	2000	36.0	36.0	36.5	38.0	200	21.0	20.00	2000	2000	37.0	37.5	34.0	34.0	36.5	33.5	35.0	- 6	36.5	- 0	32.0	32.0	32.0	32.0	ı	35.7	9
Nov	Max.	0.	0			0		0	L																42.0		15.5	11.5	36.5	37.0	38.5	38.5	38.5	ı	43.4	39.
	Min.	70	Y	1	, 1	7	0	0	C	0 1	Ň	0	0	C	7) () F	72	20	7	10	7	0	30	30	Ň	0	0	T.	0	C	0	12.5	13.0	13.2	6
Oct.	lax.	7.5	7.5	0		T.C	1.0	0.5	Y	0.1	2.0	8.0	200	0.0		T O	1	100	000	1 m	10	2.0	0.5	200	4.5	2.5	7,	3.2	10.0	7.0	7,	5.0	5.0 1	5.5	19.7	1.8
	in. M	10	0	9		0	0	10	20	0)		7	-	10	1 20	1-	1 1	7 2	00	10	1 11	10	30	0	48.0 5	0	0	0	30	0	0	30	- I	1	1.3	
Sept	ax. M	15	2	C) 1	Ú	0	2	(0 1	0	N	0		T (10	0	2 0	0	N C	0	N	0	0	52.0 h	N	N	0	7		0.	0	7. 70	1	5.0 5	58.2
	n. M	0.	25	0	1	V.	5	90	0	21	.56	900	0	0 6	, L	1 L	77	U J	U J	77	10	5	5	0	5	5	0	20	0.	5.5	0.0	5	N		000	
Aug.	x. Mi	N	0	C	2	· V	0.	0	Y	01	5	0.	V	C		, L	0	0	0 0	1	0	0	0	0	·0 54	N	3	0	'n	3	5	N	r.	0	.5.56	63.3
	n. Ma	7	2	7	3 -	_	2	7	10	- 1	0	0 7	7	7			- 6	- 0	- r	- 5	130	2	20	2	0	0	90	0	5	9 0	5	5	9	.0 68	0/ 170	
uly	M.	N		Y	12	v.		S	L		0		r	T		C	0) L	0	0	0 57	0		20	0 59	77	5 57	5 58	5 58	59	5 58	0 58		3	.5 56	62.0
J.	· Max	167	19 (167	- 0	700	62	59 5	67	0	19 0	0 62	63	200	689	100	2 5	1 -	72	300	77	77	0 70	69 (5 65	2 68	19 67	299 5	5 67	79 0	0 72	5 67	99 5	68	3 67	
une	Min								7	- T	50	51,	7	70	77	0	0	7 7	00	0	0	0	0	10	0 54.9	0	20	0	0	0	20	0	0	1	1 53.	8.7
J	Max	63.	63.	65	100	020	09	61	67	70	61.	61.	62	60.	63	12	77	200	200	55	5 65	65	65	65.	.99	.99	9	.99	.99	.99	67.	67.	68	1	.49 6	2
A	Min	41.			1 0	710	39.	17	1,2	47.	43.		116	17	1.7		ביע	77		12	16	111	16.		42.	41.	42.	144.	797	17.	17.		647	50.	117	7
Ma	Max	57.0	58	50	17	50.0	0.09	62.0	61	OTO	0.40	65.5	66.5	67.0	61.0	といってい	1000 C	7 57	L C	000	59.0	59.0	0.09	58.0	56.5	55.0	58.0	59.5	61.0	62,0	61.0	59.0	63.0	63.5	9	52
	Min.	38.0	37.5	280	000	40.0	10.5	2007	10	40°2	39.5	1,100	10.0	10.0	26.5	28.0	0 0	000000000000000000000000000000000000000	となる。	200	10,0	12.0	112.0	14.0	39.0	36.5	35.5	38.0	38.5	1,10	38.0	1,005	39.5	1	39.4	. 7 .
Apr	Max.	54.0	57.0	K7 0	000	とかってい	55.0	66.0	K7 K	200	28.0	58.0	58.0	77	TY TY	100	アン・ファ	7.007	ででいる。	70.	20.00	0.09	62.0	59.0	52.0	0.67	54.0	53.5	0.67	51.0	49.5	51.0	56.0	ı	55.9	5
	Mine	10	10	30	1	7	0	0	-	2	0	0	10	-	110	10	20	20	2 31	10		10	0	0	10	0	10	0	10	0	0		10	0	34.8	7
Mar	lax.	-						_		_		_		_				-	- 1			_	20	10		_	10	_	_	10	30	_	30	0	20	1
	Min.	N	7	. C	5	J.	r	0	C	0	2	M	, 1	17	125	17	10	2	U J	12	17	120	0	77	32.5	0.	0.	3	W.	N	3	0	1		32.8	-
Feb.	axe	0	N	(2	v.	0	7	, 1	0	5	0	U	1 1	7			2	20		L	12	0	0	39.5	J.	0.	N	J.	N	0	0	1	ı	9.2	36.0
	n.	0	0	-) (_	0	10	20	0	0	0	30	10	110	110	1	0.0	21	10		0	0	20	m	n	20	30	0	20	0	0	0	2.5	33.1 3	77
Jane	x. Fi	10	70	L	1	0	10	10	· L	0	0	10	10	10	1 70	1	2 (0	50	20	110	120	20	0	0	0	0	0	20	20	20	10	0	0.7	7.7	7 35
	7.1	3	3	, (4	7 0	7	W	77		7	3	36	3	1 5	7 7	7 7	7 6	200	7 0	100	18 37	, m	3	3	38	7	7	27	100	3	[7]	7	170		퍼 3,	nthly

TABLE 18

1961 California. Convict Creek Station, Mono County, Temperatures, Mater Daily Maximum and Minimum

Min. 32.50 33.0 32.0 32.0 32.0 0 Dec. Max. 37.0 36.0 37.5 37.3 37.5 37.0 36.5 34, 37.5 Nov. 'n 9"11 Max. 37 0.07 42.5 43.5 140.0 10.0 Min. 40.5 14.0 39.0 39.0 44.5 7.97 Oct. 0.67 50.0 54.0 5.45 Max 52.0 0.64 50.0 50.0 7227 50.5 0.94 16.5 50.0 19.5 Sept. ਅੰ 61.0 0.09 0.19 61.5 0.09 60.5 0.19 61.9 Max. 77 55.6 Min. Fahrenheit -65.0 65.0 65.0 67 68 0 68 0 64 5 Max. 66.5 67.0 68.5 61, 4.19 degrees July 53.0 69.0 54.0 69.0 67.5 Max. 69.5 70.0 67.3 66.5 66.5 0.69 64.57 68.57 68.5 69.5 7, 7, 7, 7, 56.0 0.09 50.00 58.0 50.0 50.0 51.0 52.0 51.5 50.5 55.5 56.5 56.5 62.0 49.5 52.7 Min. in. 9. Temperatures 62°4 61.0 58.0 61.0 46.0 65.5 Max. 61.0 48.0 65.5 58.5 45.5 66.0 46.0 65.5 5 43.0 42.0 47.0 47.5 Min. 8 May 63.5 64.0 51.0 0.49 0.19 62.0 62.5 61.5 7.09 57.5 52 H Apr. 53.0 0.09 58.0 62.0 63.0 57.9 18 52.5 57.5 Max. 32.0 33.9 40.7 Mar 52.5 148.0 43.0 52.0 58.0 51.0 0.74 14.5 50.0 1-5 50.5 Max 49.5 54.5 32.0 4.5 H 140.0 Max 2.6 38 32.0 41.0 32.5 46.0 33.0 46.0 32.0 40.5 32.0 11.5 33.5 41 32.0 1 32.0 32.0 32.0 32.0 32.0 32.0 32.5 32.0 34.0 32.0 9. 35 41.0 0.0% 39.0 38.5 0.04 39.5 39.5 10.0 0.017 39.5 Max Monthly Mean Mean Date

TABLE 19

Daily Maximum and Minimum Water Temperatures, Convict Creek Station, Mono County, California. 1962

Temperatures in degrees Fahrenheit

	Max. Min.		3	36	39	36	35	7,	3	C. W.	0 311	3	0 33	33	0 33	35	0 37	0 37	0 3	36	98 0	0 37	0 33	32	33	0 32	0 32	0 35	0 35	0 32	3	39.0 32.0	33	41.5 34.3	37.9
14	Max. Min.		5 III.	1T.	0 년.	0 17.	12.	39	38.	38	07 0	07 0	36.	37.	38	39.	37.	36.	34.	34.	33.	35	35	35	45.0 35.0	35.	34.	37.	36.	34.	33.	32.	1	46.3 37.4	41.9
+00	Max. Min.	1	52.	200	0 48.	° 1√1 °C	0 47.	5 117	977 0	877	8 [†] C	148	0 47.	1,5	7 17	5 43.	1 P	0 년.	5 42.	5 42.	0 42.	5 42.	0 42.	5 42.	= 113	1.	4	0 42.	5 42.	0 13	175	52.0 41.5		54.2 44.4	19.3
+400	3	0	255	5.2.5	52.0	52.5	53.5	53.5	0.75	53.5	0.550	52.5	5.17.5	5 52.0	71.5	0.15	0.120	0.150	5 51.0	53.01	0.67 5	5 51.0	2.67 C	5 49.5	0	51.5	0 55.0	55°0	0.0%	7.49.5	20.0	20.0		62.7 51.5	57.1
	Min.	1	26.0	0.950	55.5	50.5	0.52.0	5 54.5	N 75.0	5 54.0	5 55.0	53.0	0.450	5 54.5	5 54.0	5 55°5	5 56.5	5 56.5	5 56.5	0.55.0	54.5	5 54°F	5 54.5	5 54.0	0.55.0	0.55.0	5 55.0	5 56.0	56.57	5 54.0	0 52.5	0	0 51.	64.7 54.7	40.7
Inla	ax. Min.	170	0 24 0	.5 55.5	0 53.5	0.45 0	0 54.5	0.42 0	0 55.0	77 57 57	7,77	0 53.5	5 53.0	0 53.0	0 52.5	.5 52.0	5 53.0	0 52.0	0 53.0	5 53.0	5 53.5	5 53.5	0 55.0	5 54.5	0.420	0 53.5	·0 54.0	5 55.0	5 56.0	5 56.5	5 56.0	0.56.0	.0 56 .5	61.4 54.2	K7 8
Tune III de		-	0 43.0	.5 48.5	5 45.5	.0 L.S. N.	0 45.5	5 17.5	0 118.0	0 17.5	.0 49.0	0.0% 0	5 50.0	0.0500	0.12.0	.0.64 0.	·0 47.5	5 49.01	0 18.0	0.0200	·0 51. C	.0 52.5	.0 53.5	0 53.5	.0 52.5	5 54.5	·0 54.5	0 53.5	5 53.5	5 53.0	0.000	.5 53.0		8.4 50.1	ر آ
Merran	Min. M		0,11,0	5 41.5	5 43.5	5 11.0	0.15.0	0 116.01	0 17.0	0 L.S. 57	5 43.0	0 73.0	0 12.0	0 42.0	0 10.5	0 41.5	0 41.5	5 11.0	5 100	5 42.5	0 111.5	0 39.5	5 40.5	5 10°5	5 1.2	0.07 0	5 10.0	5 42.5	0 11.5	5 112.0	0 73.0	58.5 1:4.5 6	2	3.9 42.3 5	a
***************************************	ax. Min. Ma		33.0	33.5	34.5	35.0	34.5	34.5	35.4	36.0	0.98 0	0.98 (36.0	36.5	5 37 · E	39.01	38.0	0 37.0	38.0	10.17	39.0	32°E	0 37.0	10.K		0.440	5 42.5	0.14.0	0 41.5	39.5	38.0	38.0		1.2 37.6 5.	
	Min. W		35.0	32.0	32.0	32.0	32.0	32.0	32.0	33.5	32.0	32.0	32.0	32.0	32.0	32.0	32.0	33.5	32.5	32.0	32.5	33	33.0	32.0	32.0	35.0	32.5	33.0	33.0	3/1.0	37°0	5 33.0	32	9.2 32.5 5	30,0
2, () (2)	Min.		5 32.0	0 35.0	0 32.0	0 32.5	33.0	0 3/2 5	33.57	32,00	0 32 5	0 32.5	0 35 0	0 35.0	0 34.5	0 34.0	0 33.0	0 33.5	0 33.0	5 33.0	0 34.5	0 32.5	0 32.0,	5 32.5	5 32.0	.5 32.0	.5 32.0	.5 32.0	.5 32.0	5 32.0	1		(7.4 32.9 3	250
	ax. Min. M		5 3L. 5	0 35.0	33.0	0 32.0	E 32.0	2	77	0 3/2	0 33 5	33.57	0 32 0	5 32.0	5 32.0	0 32.0	0 32.0	5 32.0	5 32.0	0 34.0	0 32.5	5 32.0	5 32.0	0 32.0	5 32	0 32.0	0 35.0	0 35.0	0 33.0	0 35.0	0 35 0	8.5 32.0	0 32	7.2 32.6 3	0 75
	Date N								7			0		C	~		FU)		-	. m	0	0	-	~~	m		10	9	2	20	C\	30 38		Mean 3	Monthly

TABLE 20

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1950

Date Max. Min. Max. Min. 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15		Max. Min.		BAS SA	The same					
10 8 8 9 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Max. Min.		Max. Min.	Max. Min.	Max. Mun.	Max. Min.	Max. Min.	Max. Min.	Max. Min.	Max. Mi
100 8 8 4 7 4 6 5 5 4 4 3 5 4 4 3 5 4 4 5 4 5 4 5 4 5 4		25.0		_	86	70.0 44.0	81.5 48.	28	62.0 26.	0
12 8 8 7 7 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1		25.5		_	85.0	67.5	88.0 43.	5 18	62.0 26.	0
25 8 8 8 1 1 2 1 2 2 1 3 3 1 3 3 1 5 1 5 1 5 1 5 1 5 1 5 1 5		67.0 33.0	42.0 16.0	78.0 32.0	84.0	75.5	79.5	0	64.5 34.	0
5 8 8 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		30.5		0	83.0	0.69	73.0 山。	0 34	67.5	W.
2 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		30.0		0	76.0	73.0	70.0 43.	e 38	66.0 27.	5
2 8 8 12 2 12 13 3 15 15 15 15 15 15 15 15 15 15 15 15 15		37.0		0	76.5	73.0	63.0 49.	0 42	65.5 24.	0
10 9 8 12 12 13 15 15 15 15 15 15 15 15 15 15 15 15 15		27.0		_	19.0	73.0	53.5 44.	0 34	68.0 25.	2
10 12 12 13 15 15 15 15 15 15 15 15 15 15 15 15 15		22.0		0	70.0	74.0	65.0 38.	5 31	67.0 24	55.0
10 11 12 13 14 14 15		0.6		0	0.69	75.0	61.0 35.	5 31	51.0 25	70.67
12 13 14 15 17		0.9		10	0.69	74.0	65.0 41.	0 31	148.0 9	52.0
12 13 14 15 17		13.0		0	76.5	73.0	64.0 39.	0 30	60.5 11	55.0
13 114 115 116		12.0		0	78.5	71.0	66.0 37.	0 30	60°0 24	62.0
115 116 17		18.0		0	85.0	75.0	69.5 34.	5 35	42.5 30	56.0
115		1700		0	85.0	75.0	67.5 37.	0 38	38.5 12	42.5
16		20.0		0	85.0	75.0	66.5 32.	0 35	35.0 2	50.0
17		24.0		0	83.0	79.0	60.0 LO.	5 30	47.0 23	146.0
		27.0		0	81.0	82.5	49.5 36.	5 31	55.0 35	148.5
8		31.0		0	79.0	84.0	53.0 27.	0 29	46.5 37	0.64
19		21.0		10	80.0	84.5	55.0 35.	5 26	54.0 39	56
20		30.0		10	78.0	79.0	62.0 32.	0 28	60.5 40	50.5
27		30.0		0	82.0	82.5	62.0 32.	0 22	59.0 2h	50.5
22		41.0		0	81.5	83.0	66.5 34.	0 25	58.0 49	55.0
23		31.0		0	80.0	82.0	67.0 34.	5 37	65.5 28	55.0
24		34.0		10	78.5	80.5	72.0	0 33	65.0 22	56.5
25		25.0		0	73.0	81.0	72.5 35.	5 32	64.5 25	147.0
26		28.0		10	72.5	78.0	75.0 38.	5,33	61.5 23	53.5
27		36.0		0	76.0	81.5	71.0 37.	0 30	57.0 24	56.5
28		29.0		0	76.5	82.0	79.0 32.	0 36	56.0 22	53.5
29		24.0		0	75.0	85.0	61.0	5 33	64.5 23	53.0
30		24.0		85.5 44.0	10	81.5	53.0 27.	0 38	50.0 37	
31		t	77	t	10	81.5	1	0 31	1	20.5 1
Mean		61.4 25.2	67.9 28.9	74.4 34.7	78.5 45.5	77.4 39.h	66.h 37.1	66.5 31.6	57.3 26.1	48.8 21
Monthly 26.8 29.4	35.5	43.3	48.4	54.6	62.0	58.11	51.8	49.1	11.7	35.2

* No daily record

TABLE 21

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1951

Dec.	ax. Min.	24	10.	16.	28	12.	2	-	-19	-19.	10	6	14.	9	-2	5		9	18.	13.	12.	5	6	19.	17	13.	CV	.0 19.	.0 30.	.5 32	.0 32.	.0 21.	.3 10.	20.0
Nov.	ax. Nin. M	0.28.0	8.0 17.5	5.0 21.0	7.5 25.0	5.0 19.0	3.0 19.0	4.0 20.5	0.5 26.0	6.0 14.5	7.0 17.0	3.0 38.0	3.0 35.0	2.0 23.0	1.0 32.0	3.0 17.0	0.0 12.0	0.0 7.5	1.5 7.0	3.5 18.0	2.5 28.0	2.0 16.5	8.0 -6.0	7.0 I.O	4.5 2.0	5.0 -8.0	0.0 11.5	7.0 13.5 3	7.0 12.5 3	3.5 12.0 3	1.0 21.0 3	1	49.1 16.7 29	32.9
Oct.	Max. Min. M	5.5 49.	5.0 43.5	5.0 26.0	5.5 32.0	0.5 16.5	2.5 16.5	7.0 17.0	8.5 21.0	2.5 25.0	6.0 38.0	9.0 28.0	0.5 28.0	3.5 19.0	8.0 20.0	8.0 30.0	3.0 45.0	9.0 29.0	8.5 23.5	0.0 27.5	6.0 26.0	0.0 17.5	N	2.0 18.0	5.5 42.0	2.0 17.0	2.5 31.5	9.0 26.0	8.0 19.0	2.0 18.0	0 17.0	2.5 17.	2 25.7	44.0
Sept.	Max. Min.	1.0 36.	5.0 38.	5.5 36.	9.0 34.	8.0 37.	5.5 37	0.0 33.	0.0 39.	0.0 42.	3.5.38.	5.5 39.	5.5 40.	7.0 35.	0.0 37.	5.5 36.	3.0 36.	0.0 39.	5.5 45.	3.5 39.	1.5 41.	4.5 43.	78.0 33.5	8.0 34.	7.5 33.	6.0 38.	40 31.	9.0 3th.	7.5 31.	5.5 29.	7.0 30.	1	76.7 36.7	56.7
rennelt Aug.	Max. Nin.	86.0 49.	85.0 48.	81.0 48.	79.0 44.	79.0 38.	78.0 38.	80.0 33.	81.0 38.	83.0 40.	84.5 39.	84.5 43.	84.5 36.	84.0 39.	84.5 39.	85.5 42.	79.0 47.	77.0 44.	76.0 44.	74.0 52.	68.0 39.	68.0 LT.	64.0 43.5	70.5 38.	71.5 39.	76.5 39.	77.5 40.	75.5 38.	71.0 48.	70.0 36.	77.0 34.	72.0 32.	77.5 41.	40,3
July	Max. Min.	85.0 39.	85.0 42.	75.5 43.	78.0 31.	81.5 37.	81.5 29	83.0 38.	84.5 39.	84.0 41.	84.0 43.	82.5 46.	81.5 41.	83.0 39.	84.5 41.	86.0 44.	75.0 50.	86.0 47.	79.0 47.	76.5 47.	78.0 46.	86.0 46.	82.5 45.5	83.5 46.	82.5 40.	82.5 40.	83.0 42.	81.0 53.	77.0 51.	70.0 44.	9.0 41.	5.0 44	81.5 42.	62.2
June June	Max. Min.	8.5 27	7.0 28.	4.0 30.	0.0 29.	0.5 40.	71.0 32.	71,0 29.	74.0 33.	68.0 33.	73.5 32.	75.0 34.	80.0 35.	77.0 43.	79.5 45.	86.0 47.	79.0 47.	82.0 44.	80.5 45.	81.0 44.	65.0 43.	63.0 43.	73.0 37	68.5 46.	77.0 39.	73.0 46.	76.0 38.	83.0 43.	85.5 38.	4.5 39.	7.5 44		74.8 38.5	46.7
May	Max. Min.	9.0 23.	0	0.0 31.	0 31.	2.5 26	8.0 27.	0 23	2.0 27.	0 31.	3.5 30.	4.0 38.	1.0 30.	8.0 19.	7.0 28.	5.0 29.	0.0 32.	7.5 35.	5.5 37.	5.0 3h.	6.0 35.	5.0 38.	72.5 31.0	6.0 36.	1.0 33.	7.0 40.	7.0 41.	1.5 46.	9.5 42.	2.5 35.	7.0 42.	0.0	67.7 32.4	50.7
Apr.	Max. Min.	0.0 12.	1.0 22.	L.0 26.	1.0 29.	2.0 26.	0.0 25.	L.5 24.	3.0	4.0 35.	9.0 37.	1.5	0.0 22.	2.0	0.0 30.	3.0	1.0	1.0	4.0 22.	7.5	2.5 32.	7.0 28.	71.0 28.5	0.0 29.	1.0 28.	2.0 32.	L.O 27.	1.0 35.	4.0 25.	W.	3.0 21.	E	59.2 27.8	1,3,5
Mar.	Max. Nin.	0 11	6.0 7.	5.0 -8.	5.5 24.	5 34.	00 35	3.0 24°	3.5 20.	7.5 39.	7.0 10.	1.5 12.	0.5 16.	5.5 20.	3.5 19.	2.0 19.	0.0 28.	2.0 15.	3.5 15.	L.5 14.	1.0 26.	L.5 26.	61.0 23.0	3.0 21.	1.0 16.	2.5 20.	3.0 32.	S.O LG.	5 17.	0.0 32.	,0 22.	3.0 21.	0.1	37.2
reb.	Max. Min.	52.5	54.0 16.	60.5 43.	56.5 36.	57.0 27.	61.0 26.	61.0 30.	55.0 26.	63.0 21.	61.0 25.	52.0 30.	39.5 23.	52.0 17.	1,5.0 15.	42.5 15.	48.0 11.	49.0 12.	39.0 16.	47.0 7.	50.0 12.	42.0 14.	35.0 3.	30.0 3.	36.5 4.	40.0	29.0 16.	33.0 11.	33.5 0.		ı		47.3 17.2	32.3
Jan.		0	0	10	0	0	0	10	0	0	0	0	0	10	10	0	0	0	0	0	0	0	56.0 32.0	0	0	20	0)	2	0	2	0	44.7	hly 30.2
	Date	H	CI	~	T	50	0	7	. 00	0	10	H	12	13	77	77	16	17	18	19	20	21	22	23	24	25	26	1.7	28	53	30	31	Mean	Month

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1952

	Dec.	Max. Min.	6 0	0 21.	0	0 3	0 18.	0 13.	0 30	33.5 26.0	0 19	0 1/1.	31.5 11.5	0	N	0	39.0 15.0	Ň	0	0	0	0	Ŋ	28.5 2.0	N	0	0	5	0	Ŋ	0	36.5 21.0	O TA	33.4 11.5	22.4
	Nov.	Max. Min.	9.0 21.0	9.0 27.0	7.0 10.0	2.0 11.5	4.5 19.0	8.0 22.5	3.0 24.0	0 21.5	9.0 13.0	8.0 12.0	3.0 18.0	5.5 20.0	3.0 31.5	9.0 26.0	8.0 17.5	5 11.5	0 8 0	0 20	0.010.0	7, 0,	5 18.5	0.410	0 11.5	0.4 0.	7. 6.5	0 % 0	0 1 0	0 1 5	1.5 0.0	.5 3.0	1	44.8 13.4	29.1
	Oct	Max. Min.	0 35.	0 29.	0 33.	0 32.	0 33.	0 30.	5 33.	55 30	.0 27.	0 25.	0 24.	0 25.	,0 26.	5 28	0 26	0 37.0	5 38.0	0 37.0	0 53.0	0 28.0	5 26.5	66.0 26.5	5 20.0	5 24.0	0 22 0	5 21.0	0 16.0	6.5 18.	5.5 2I.		000 200	69.6 27.8	148.4
	Sept.	Max. Min.	3.0 39.	2.0 42.	0.0 43.	4.0 46.	8.0 39.	5.0 50.	5.0 42.	75.0 35.0	0.5 36.	2.0 36.	5.0 26.	5.0 35.	27.	29.) 29	31.	10	33.	39.	17.	38.	72.0 36.5	37.	3.0 37.	5 35	8.0 36.	1.5 31.	6.0 37.	.0 36.	.0 38.	0 0	(I.8 36.6	54.2
ahrenheit	Aug.	Max. Min.	6.0 41.	1.5 44.	2.5 40.	3.0 41.	1.0 52.	2.0 48.	3.0 48.	2.5	0.0 45.	2.2	0.0 39.	2.5 43.	2.0 39.	3.5 33.	F. 7	2.0 38.	2.0 38.	3.5 41.	8.0 37.	0.0 38.	9.5 40.	0.0	1.5 40.	38.	K.O 42.	2°0 3°	6.5 35.	5.0 40.	(° 0 38 °	0 42	0.5 50.	80°1 40°7	7.09
grees F	July	x. Min	0 47.	5 44.	Ŋ	0 44.	0 山。	0 40.	0 42.	Ň	0 50.	5 45.	0 43.	0 35.	5 43.	5 43.	5 41.	0 42.	0 51.	0 43.	,0 42.	5 42.	0 43.	·0 70·	0 43.	5 46	6.0 55.	6.0 49.	3.0 47.	3.0 41.	•0 52.	5.0 52	0 710	82.1 44.5	63.3
in de	Jun	x. Min	0 29.	.0 29.	.0 31.	.0 37.	.5 38	.5 40.	A 35.	5 35	5 32	.0 22.	·5 31.	.0 20.	5 27.	.0 31.	.0 33.	.5 26.	.0 33.	0 35.	0 35.	0 35	.0 37.	78.5 33.5	0 47.	0 41.	01	5 35	4.5 31.	4.0 35.	.5 37.	9.0 31.		(503 3303	54.3
Temperatures	May	K. M	0 32	0 35	5 27	25	0 23	0 29	7 35	0 29	0 29	0 26	0	0 28	0 31	0 27	5 38	0	N	N	0	N m	0 2	72.0 27.5	л". Ш	N.	п) (ш) (0	7. W	0 3/4.	36.	٠٢٥ ره	(2.3 31.3	52.1
	Apr	x. Min.	0 18.0	5 28.0	0 25.0	.5 19.0	.0 20.0	0 24.5	0.88.0	0 55.0	.5 20.0	0 30.5	5 25.0	5 20.0	5 28.0	.0 2h.0	5 15.5	0 23.5	.0 23.0	.0 22.0	7 35 v	0 28.5	0 28.5	63.5 21.0	0.24.0	0.620	5 32.0	5 31.0	0 33.0	0 32.0	5 53.5	0 30.0	1 20 7	73.5 25.6	39.h
	Mar	x. Min.	2.5 15.5	0.5 -2.0	7.0 -5.0	00 T	6.5 8.0	5.0 10.0	7.5 6.5	0.1	8.0 19.0	2.0 10.0	7.0 11.0	0.0 7.0	6.0 -3.0	2.0 -4.0	1	1	1	1	_		1	0.0 1.0	8.0 2.0	8. F. J. F.	5,0	0.52 0.0	3.0 12.0	4.0 14.0	8.0 L8.5	0.34.0	57 C 0	4	25.3
	Feb.	. Min.	3 22.5	0 22 0	0.510	2 8 0	3.52	0.0	0-1-0	0.5	8,5	0.2	17.5	1.0	5.0	0.0	20	72	H	0	, , , , , , , , , , , , , , , , , , ,	_	o.	33.4 10.0	15.0	0,	271	2000	10.0	21.0	15.0	t	7000	_	22.2
	Jan	ax. Min.	6.0 20.0	6.5-14.0	1.5 -7.5	9.5-12.0	3.0-12.0	2.0 -1.0	1.5 -1.0	5-10.0	0.4-0.6	7.0 -4.0	4.0 24.0	0.0 25.0	8.5 26.0	8.5 23.5	9.5 28.5	9.5 26.5	6.5 18.0	3.0 19.0	3.0 17.0	ī	ŧ	1	ŧ			1		1	3.0 5.0	0-11-0-97	102 670	. C .	1y 18°5
	-	0)		_			_	_	_	_					_							20	27	22	23	24	500	97	7.7				-	ea	Month

Daily Maximum and Minimum Air Temperatures, Convlct Creek Station, Mono County, California. 1953

Dec.	Max. Min.		10	0	10		10	0	0	10	0	0	20	0	0	20	0	0	0	0	0	101	10	0.1	10	0	2	50	0	0	51.0 5.0	49.9 12.6	31.3
Nov.	Max.	66.0 30.	58.0 30.	61.0 23.	56.5 19.	55.5 22.	56.5 17.	52.5 13.	55.0 15.	54.5 16.	52.5 24.	56.0 14.	60.0 24.	55.5 24.	42.0 22.	50.5 18.	56.0 15.	41.0 20.	38.5 16.	49.0 13.	32.5 17.	45.0 7.	51.5 29.	65.0 28.	63.0 22.	60.5 L%	20070	01019	905	60 0 P.	1	54.7 20.4	37.6
Oct.	Max. Min.	72.0 32.	63.0 30.	66.5 24.	71.5 19.	72.0 27.	72.5 32.	72.0 31.	71.5 30.	70.0 30.	69.0 35.	64.0 32.	64.0 27.	65.0 2h.	61.0 26.	63.0 19.	65.0 21.	66.5 27.	57.0 28.	44.0 31.	64.0 32.	39.0 21.	38.0 21.	47.0 20.	52.0 18.	57.00 23.	OT 0 79	60.00	68.0 27.	AT 0 04	68.0 22.5	62.5 26.1	44.3
Sept.	Max.	70.0 35.	77.0 35.	80.0 42.	79.0 40.	81.5 42.	78.5 48.	78.5 37	77.5 38.	81.0 39.	78.5 39.	79.0 39.	79.0 45.	76.0 41.	77.0 40.	73.0 38.	75.0 41.	76.5 37.	75.0 41.	75.5 35.	73.0 31.	68.0 30.	70.0 27.	74.5 26.	76.0 30.	79.0 33.	(7.0) / ·	7000	70.00	72 L 00	7 7 6 7	75.6 36.9	56.3
Aug.	ax. Min	79.5 45.	77.0 39.	75.0 37.	79.0 34.	78.0 37.	78.0 38.	82.5 36.	85.0 41.	85.5 42.	84.5 43.	85.5 43.	77.5 43.	78.0 14.	81.5 42.	81.0 37.	80.5 42.	79.0 38.	81.0 40.	84.0 39.	80.0 40.	79.5 37	81.5 42.	81.0 38	80.0 45	76.0 41.	76 6 27	72 0 27	0 L	つけつ つかり	65:0 38.5	78.3 39.9	59.1
July	ax.	1.0 36.	4.0 31.	5.0 33.	4.0 36.	7.0 43.	8.0 43.	7.5 48.	5.0 50.	1.0 50.	5.0 li6.	2.0 36.	3.5 47.	2.0 46.	5.0 50.	7.0 47.	5.0 55.	5.5 46.	3.5 46.	2.0 44.	1.5 43.	5.5 44.	4.5 47.	4.5 47	5.0 47.	1.0 39.	000 400	7 L	0 L L L L L L L L L L L L L L L L L L L	1. T 1.7	10	83.8 141.6	64.2
June	3	5 27.	0 21.	0 31.	5 32.	0 33.	5 40	5 33	0 24.	5 27.	,0 30.	,0 33.	0 36.	0 30	0 31.	0 35.	0 45	5 42.	,0 37.	0 41.	5 31.	5 30	0 31.	0 37	0 44.	31	7 77	20000	- 0	200) Out	75.3 33.9	9•1/5
May	Min	10	0 21.	24.	29.	0.20	35.	35	5 29	22.	24.	0 19.) 20.) 23.	33.	32.	0 22.	27.	30.	0 45	0 144°	33.	0	0 28.	0 16.	26.	0.1	000	280	000	66.5 33.5	61.1 27.8	44.5
Apr.	Ξ	23.	37.	25.	29.	27.	22.	2 11	6	3.	20	010	0 10.) 24.) 16.	17.) 27	33.	28	31.	35	35	35.	34.	28	29	200	000	17.0 66.0 10.0 06.0	000	670	60.9 24.6	42.8
Mar.		6 0	0 0	5 11.	0 19.	0 13.	0 23	0 17	0 17	5 18	.0 23.	.0 16.	.0 20.	0 15.	2	0 18.	5 15	0 25	5 24.	.5 22.	.0 27.	.0 22.	.0 21.	.0 22	.0 28.	0,13	5 TO	0000	700	7000	65.0 24.5	7	36.9
Feb.	x. Min	0 21.0	0 13.0	0 16.0	5 17.5	5 30.0	5 26.0	0 19.5	0 16.5	0 10.5	5 14.0	0 14.5	0 18.0	0 11 0	5 21.0	0 21.5	5 16.0	0 10.0	0 11.0	0 100	0.6 0.	0 8 %	.5 7.0	0 8 0	0000	0	0.74.0	C. O. U.	O TO	t	1 1	47.8 14.7	31.3
Jan	. Min.	1.0 9.0	6.5 7.0	0.9 0.9	3.0 4.5	3.5 6.0	3.0 20.5	2.5 32.0	7.0 30.0	7.5 27.0	3.5 20.0	5.0 19.0	5.5 30.0	9.0 24.0	5.0 28.5	2.0 8.5	5.0 6.0	7.0 37.0	8.0 34.0	5.0 34.0	7.0 28.5	1.0 12.0	2.0 12.0	7.0 13.0	9.5 16.5	1.0 25.0	0.02 5.6	100 1400	0.00	00 CL 5	0 15	44.	13
	Date																										_				37	Mean	

TABLE 24

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California, 1954

	H	Feb. 133.00 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2		A COUNTY			114 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		THE RESIDENCE TO SENT THE WAS A SENT TO SENT THE WAY OF	NOONWANOONWANOONWANOONWANOON	70000000000000000000000000000000000000	M M M M M M M M M M M M M M M M M M M		A C C C C C C C C C C C C C C C C C C C		88 88 88 88 88 88 88 88 88 88 88 88 88	64444446666666666666666666666666666666	200 0000000000000000000000000000000000	11111111111111111111111111111111111111	847550508752807775280000000000000000000000	17. 23. 23. 23. 23. 23. 23. 23. 23. 23. 23		
200	14.0	37.7	8.0	10	18.6	63.7	27.8	75.8	35.2	76.7	38.3	82.2	14.6	77.1	39	74.9	34.2		25	27	1 20.) LL 11	1
10	-	22		10	8	7		1 4	9	572	T.	63.	7	58	3	54	9.	97	5.1	~	7.44	2	2.3

TABLE 25

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1955

* No daily record

TABLE 26

Daily Maximum and Minimum Air Temperatures, Convict Greek Station, Mono County, California.

13.0 18.0 10.5 000 0.0 12.0 20.5 10.5 10.5 11.5 Min. Dec. 58.0 55.0 0.09 55.0 52.0 54.0 54.0 0.49 56.5 53.5 53.5 57.0 59.0 57.0 0.09 61.5 61.5 20.5 61.5 22.5 38.0 14.5 56.5 12.5 11.0 71.0 19.0 12.0 12.0 22.5 211 2011 10.5 -1 64.5 51.5 61.5 61.5 62.0 0.09 64.5 39 36.0 38.0 32.0 20.0 29.0 35.0 25.5 21.5 17.5 22.0 30.7 10.01 28.5 22.0 29.5 Oct. 0 5.99 72.0 17.0 68.5 68.5 71.5 71.0 72.0 67.5 63.5 10.0 31.0 17.0 144.5 29.5 29.0 143.57 148.57 11.5 17. Sept. 58.7 77.0 8870 80.0 70.0 73.0 74.0 79.5 76.0 80.0 Aug. degrees Fahrenheit 85.0 84.0 81.0 81.0 84.0 81.0 81.0 79.0 82.0 80.5 79.5 81.5 76.5 79.5 7 79.0 78.0 85.0 80.0 83.0 86.0 83.5 77.5 79.0 83.5 80.5 62, 36.0 86.0 82.5 82,5 17.0 37.0 42.0 42.5 30.5 39.5 10.0 0.01 Temperatures in 0 80.0 72.5 81.5 20 30.0 26.0 35.0 20.0 30.0 32.0 0.14 35.5 30.0 28.5 29.5 38.0 41.5 40.5 33.0 39.5 35.5 24.0 25.0 42.5 42.5 33.6 CV 68 57 0 68 7 7 7 68 7 0 81.0 80.5 76.5 67.0 67.0 Max. 3.5 58.5 73.5 71.0 73.0 55.7 61.5 200 29.0 21.0 21.5 21.0 24.0 26.5 27.0 31.5 30.5 32.5 26.5 36.5 -52.0 51.0 67.5 5.49 67.5 43.0 11.0 53.0 62.5 54.0 63.5 65.5 71.0 72.0 72.0 64.5 12 59.0 12.5 48.5 18.5 20.0 29.0 20.0 22.0 14.5 22.5 N 0.44 57.0 62.0 555.57 61.0 71.0 0.69 38 26.5 2 25 22.0 26.5 21.0 27.5 29.0 34.5 20.5 17.5 19.5 27.5 27.0 19.5 15.5 27.5 29.0-15.0 22.5 29.6 38.5 50.0 0.67 47.5 50.0 47.0 41.5 41.5 39.5 45.0 30.0 49.0 29.5 35.5 46.5 Monthly Mean Date Mean

TABLE 27

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California, 1957

	Jano		Feb.	_	Mar.	AT	pr.	Man	1	Jun	e	Jul	2	Aug		Sep	٠ţ.	Oct.		Mov.		Dec.	٠
Date	2	Σ	x. Min	2	X°	Max	Min	K	Mine		0	ax.	10		J.e	X.	0.0	X. M	ne	F.	Z	ax.	Min.
	45.5 10	70	.5	5156	0 35.	39.	25.	68.5	30.5	10	0	0.5	3	0	N	0	0	0	2.5	2	4.5		
	54.0 12	30	515	55	5 27	52	CV	63.0	37.5	10	10	0.5	S	10	0	0	0	N.	200	2	7.07	0	- 65
	51.5 15	0	70	50	.0 20.	62	29.	70.0	32.5	20	20	7.5	20	10	70	20	0	5 2	7.0	C	5.0	0	6
	3000	1 -	10	TY C	0 35	67	27	77.5	2007	0	L	2	C	_	7	Y	0	5	6.0		3	C	1
	2000	7 1		11		200	- 0	10	17	1	1)	1) \	1	15	12		10) (1	10) L	
	37.5 17	7	. C.	2	.5 30.	2	0/7	1605	36.5	0	0	200	1	0 1	5	21	01	0	11		7.5	1	• 17
	10.0 8	0	.9 0.	65	5 30	23	17.	74.0	31.0	0	10	1.0	0	0.1	0	Ŋ	rů.	0	W. 7	H	200	ار	0
	hh.0 6	7	.5 18.	5 70	.0 25.	9	12.	67.0	33.5	0	0	7.2	0	30	0	'n	2	7	7.5	-	7.1	C	0
	23.5	70	5 29	3	5 29	55	27	61.0	26.0	0	0	5.0	7	0	N	0	0	0.0	6.5	CV	7	Y	~
	100	1	T L	5	T SO	27	23	(0.0)	26.0	10	V	7	, Li	10	0	Y	7	0	12	0	. 0	7	15
	0000	7 7	15	7	0 1 1 0	000	100	207	2000	10	11	12	10	10) 1	15	1 7) [10	1 6	0 1	1	0
	40°0	J.	·77 50	00	OT O	00	77	200	2002	7	0)	C. V	0 (7)	0	0	US	200	000	V	7,1	0	0
	37.0 5	50	.5 26.	62	.0 21.	62.	C	5.	35.5	111	()	0.2	0	6	O	0	5	200	0.17	N	2.5	0	20
	38.5 26	70	.5 18.	0 15	.5 31.	62	(1)	61.5	33.5	20	0	200	0	0	0	7	3	50 m	0.4	3	7.2	1	3
	31 0 LI	77	F 29.	50	.0 20.	68	29	48.0	31.5	V	5	2.0	0	10	3	N	0.	0	8.0	3	9.5	0	00
	37 5) L	0 25	7	0	57	(2	27.0	0	10	2	C	10	0	Y	0	0 3	Tr.	0	0	Y	~
	0000	17	700	17	7	77	りない	60.0	7	u	110	7) (C) L	V	D C	7	0		10) _
	20.00	U 5	*C 74*	7-0	07 670	3 5	000	2000	2000	7 (12	000) 2	10		15	, (10	12	7 -	10	2 0	10
	39.0 -5	J.	·> 22.	777	* TT 0	2	6.L.		2305	21	2	21	0	7)	0 1	0	00	7 0	0 -	٦,	13	0 1	0 \
	32.5 -8	0	.0 28.	877 0	0 15.	TY.	24.	- 6	31.5	12	5	6.5	0	10	5	0	0	€.	4.5		2.5	ru.	9
	32.5 -7	70	.0 25.	0 47	.0 24.	149	17.	64.5	38.0	10	20	7.2	N	10	0	0	Tr.	r, m	2.0	C	ω N	N	0
	39.0 -1	50	.5 24.	53	.0 21.	61.		- 0	32.0	0	0	2.0	77	10	بر	0	0	7. CA	8 7	3	0.0	N	0
	36.5 3	70	5 23.	0 59	.0 20.	51	28	50.0	30.5	0	0	8.0	7	10	0	0	0	.0 2	w M	\mathcal{C}	75.57	0	
	37 .5 -2	7	.5 26.	77 20	.0 16.	2	28	54.0	31.0	0	0	7.5	0	0	3	0	0	.0 2	7.5	H	3.0	N	8
	30.0 -9	7	5 22	122	5 15	53	32.		33.5	M	0	7.0	N	0	N	N	0	20	0.0		200	- 0	- 0
	38.0 5	10	5.5 29.	52	5 12	62	5 31.0	- 0	33.5	86.0	42.0	0	43.5		0	0	0	CV	8.0	67.0 2	4.5	2	-
	32.5 5	77 0	.0 30.	19 2	.5 21.	63.	31.	- 40	37.5	75	1	2.0	0	10	Ň	0	3	27.	ω Γ.	Pro-	0.6	0	. 0
	37.5 13	20	5 35	58	5 31.	64.	26.		31.0	M	20	0.5	0	0	0	0	3	7. W	2.0	H	3°.7	7	0
	27.5 1	30	.5 29.	09	.0 32.	64.	27.		33.0	0	10	2.2	0	10	0	0	N	0.3	0.0	CI	0。几	0	-
	20.5-12	70	.5 23.	79 0	5 18	670	32.	- 00	34.5	20	20	7.2	0	0	Ñ	N	70	7.	W. 57	H	9.0	0	3
	24.0-18	0 7	.5 2h.	209	0 38	71.	34.		44.5	0	20	3.0	0	0	32	ນ	,	003	7.2	H	8.0	N	- 0
	25.0-12	0		28	.0 37.	67	35		35.5	20	w	7.5	N	0	4.0	0	7	0.0	7.0		2	0	6
	33.0-14	0		9	.0 29.	67.	29.		37.5	20	20	2.0	0	10	0.7	30	М,	0.2	2.0	H	2		- 6
	43.5 8	ŗŮ.	t	58	.0 33.		1	79.0	44.5	1		4.5	0		CV	\$	1	л. S	10.0	t	77	15.0	2.5
	37.2 2	9 5	0.2 21.	0 55	.3 25.0	60	6 26.5	1 0	33.3	19.67	43.3	0	43.6	0	40.9	77.3	36.3	2	8.95	3.62	0.3	5 6	14.
		-	35.6		40.2	17	3.6	148	8	61.	7	.29	6	61.	2	56.	80	45.4		37.0		32.	70
1)																							

TABLE 28

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1958

Dec	Min) 1/1	22.	23.	35.	28) 22.	21.	28.	26.	23.	10	26.	0 14.	10.	5 12.	0 17.	0 13.	17.	11.	0 13	75	77.	13.		500	0 24.	7	1 LC.	000	2 7 7 C E Y	700	1	407
Nov.	Min		20.	23	23.	29.	23	29.	26.	37.	33.	31.	24.	J.O.	20.	œ	2		Φ (123	16.	20.	17.	17.	55.0 24.5	07	200	22.	7.5	1	,	8 20		70.5
Oct.	k. Min.	0 38.5	5 39.5	5 31.5	0 31.5	0 33.5	0 35.0	5 33.0	5 30.5	0.38.0	7 31.5	0 33.5	.5 30°0	0 30.7	0 33.5	5 33.0	0 30.0	0 32.5	0.11.0	0 11.5	5 21.5	0.21.0	0 17.0	0 3/1.0	0.00000	₹.05 €.	0.4% 0.7%	2, 29.5	7. 26. 0	7. TY D	70 TO		0 T / T 0	52.4
Sept.	ax. Min.	7.5 46.0	4.5 51.5	3.0 43.0	3.0 36.0	2.0 40.5	2.0 41.5	1.0 1.5.0	7.5 44.0	0.5 36.0	9.0 31.5	0.5 41.0	0.5 40.0	1.5 31.5	5.5 33.0	7.0 39.5	9.5 34.0	9.5 1,2.0	3.5 37.0	4.5 38.5	2.0 39.5	3.5 35.0	3.0 44.5	9.5 39.0	64.0 30.5	200 2100	8.5 33.5 0.5 33.5	9.0 35.5	L.O. 35.0	3.0 30.5	T.U 40.0	6 38 1,	ti-00	58.5
ahrenheit Auc.	Kin.		2 47.5	0.240	0 48.5	7 70 7	50.0	7. Z.	50.5	0 45°0	7.67	52.0	54.5	5 47.5	0.75	54.0	53.0	5 47.0	148.5	2 44.5	5 43.0	0.27	0.94	7 TR.O	43.0	0.07	50.0	148.0	7 4 5	7.57	89.0 45.0 8	0	. 1	6,09
rees Fahren	Min	35.5	38.0	2 48.0	2000	0.64 0	5 47.0	0 47.5	2 40.0	2 46.5	2 42 5	0 45.5	50°0	47.5	0.00	7/11.0	42.0	0.04	40.5	47.5	7.0	55.	55.0	44.0	0	77.00	71	50.2	47.0	72.0	ル に い い い い い い い い い い い い い い に い い に い い に い に い に い に い に い に	47.0	7	6111
in deg	. Min.	0.04	0 41.5	38.5	31.0	33.5	36.0	28.0	34.0	31.0	39.52	36.0	35.5	37.5	311.5	5 39.0	5 39.0	5 42.5	500.5	0.1/4 5	0 42.5	39.5	0.24	0.47.0	76.5 40.0	5 441.05	0.07	2 45.5	2000	14T.	28.5	1 28 G	0000	56.8
Temperatures May Ju	Min.	31.5	30.5	30.0	31.5	3:1.5	37.0	27.0	31.66	()*()*/	330	37.5	500	28.5	28.0	31,0	35.0	31.5	37.5	36.0	41.5	35.5	17.0	31.0	W .	34.0	30.5	33.0	7. T.	25.00	72.5 38.5 7	33 0 7	2007	53.5
Apr	Min.	22.5	18.0	13.0	7.0	70	22.5	22.5	16.5	5 23.0	30.0	30.0	21.5	12.0	25.5	3 19.5	0.24.0	31.5	37.0	31.0	32.0	0.220	5 27.0	21.0	21.5	23.0	22.0	27.5	32.5	000	34.5	1 00 0	2 6207	41.1
Kar	. Min.	0 2°E	0-1-(0.5	5 1/1.5	5,11.5	0.13 (5 10° 5	0.13.0	F	0.7	5 17.5	0.6	J. (. F.	0.33	29.5	1 25.5	10.5	7°2	5 12.0	0.880	30.5	5 23.0	0 14.5	5 23.0	16.5	11.5	15.0	22.0	7.50.0	0 26.0 60.0	7 76 1	70.4	32.0
eb.	K. Min. Max	7.0 142	16.5	11.5	18.0	25.5	17.0	22.0	20.0	13.0	27.5 40	13.5 45	27.5 38	13.5 39	26.5 36	23.5 47	24.5 50	30.0 50	27.5 52	33.0 56	27.5 414	20.5 51	23.0 52	26.0 55	26.5 57	20.0 51	0.01	6.0 42	18.5 55	1 24	36	7 2 00 0	C 40.5	35.9
T.	Min.	11.0	12.0	19.0	10.5	7.5	S. N.	C. C.	15.0	7. R.	0.18	9.6	10.5	9.57	51	13.0	22.0	11.5	22.0	15.0	10.5	9.57	0.9	13.0	œ. (پ	14.5	24.0	12.0	22.5	30.0	101 101	400	TC 100T C	30.6
	Date Max	7								diam'r.	0	_	2	~	7	7,	9	1	∞	6	0	~	CJ	~		5	9	~ (x) (x	0	30 43.0	1 5	1	Monthly

TABLE 29

Laily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1959

	000	- 1	11.	13.	1/4.	12.	2	~	-	6	α:	- 0	TO	0	6	9.	0 15.	3 14.) 22.	0 15.	0 11	10.	0 15) 12	0 28	30.	12.	0	9	5 15.	2.	01	0	0 11.4	30.2
	1	n. Ma	0 62	09	0.58	0 148	0.	5 62	.5 62	7	0 119	0 52	0.58	0.119	0 27	0 14	5 63	.0 63	0 53	5 54	55 50	.0 39	12 0.	.5 40	.5 35	0 38.	.5 30.	.0 43.	.5 48.	.0 49.	.5 49.	.0 146.	0.47	1.7 119.	~
	NON I	X.	-	0	10	10	L 0	N	7	7	7	0.	0	7	0	0	0.	5 1	7	0	0.2	10	0 2	0.1	68.0 25	7	N.	- 0	N	N	77	7		62.3 14	38.5
		-u-	0.0	2	0 N	0.1	3	7°.0	0.6	0.9	6.5	30,00	7.5	8,2	7.0	1.5	3.0	6.5	3.0	000	0.8	2.5	8.0	3.5	5.0	1.0	0.7	0.7	2.0	8,5	0,0	N I	0.0	27.04 (2
	-	X -	113.	65	٠ ا	72.	69	68	99	69	76.	79.	76.	73.	73.	78	79.	76.	74.	72.	77.	73.	70.	74.		81.	81.	76.	71.	52	38.	W F	214	0	718
	2000	Xe Min	.0 31.	.5 34.	.0 36.	·0 43.	5 35	.0 38.	.5 35.	.5 38.	.5 36.	.0 40.	·0 41.	.5 39.	·0 41.	.5 29.	.5 22.	.0 31.	·5 24.	.0 38.	.0 3h.	.5 24.	.0 33.	.5 26.	.0 31.5	.5 21.	.0 33.	.0 32.	.0 28.	.0 28.	.5 19.	.0 26.		.4 32.6	52.5
-	2	• 1	7	9	r.	0	กั	0	0	0	0	N	0	0	0	N	0	30	0	30	N	0	0	'n		0	3	0	0	Ŋ	Ŋ	202	0	11.0 72	3
٠- ا	P P C		2	J.	N	0	0	2	0	0	30	N	0	0	0	0	0	0	70	0	N	3	0	0	0	0	70	0	Ŋ	N	ير.	01	2		61.
S	77	N. PILL	.0 39	.0 42.	.0 4z.	.5 40.	.0 38.	.0 42.	·0 54.	.5 38.	.5 35.	.5 42.	·0 48.	.0 76.	.5 48.	·5 47.	5 48.	.0 49.	.0 48.	.5 53.	.0 50.	.5 43.	.5 48.	.0 47.	.0 55	·5 LL.	.0 48.	.5 47.	.0 48.	.0 53.	.5 45.	55 LT	07 46	0	0.99
degre	2	0		0	10	0	10	10	0		10	10	0	10		10	10	0	10	0	10	10	10	'n	1,9.5 83	10	0	0	10	0	10	7.5	-	1.9 85	
٠٦ ١	o mile	. 0	0	0	20	n	10	0	0	0	10	0	0	0	20	20	0	20	20	20	20	20	0	0	90.5 14	0	0	0	n	0	0	_		85°8 4	62.4
perat	N.5. S.	T. C.	3	23	25.	26.	26.	33.	28	32.	37.	35	350	31.	41.	33	30.	32.	41.	40.	38	311.	32.	32.	28	35.	36.	36.	39.	28	34.	31.0	3	1 33.3	6.6
Ten	Most	Tax Tax	0 5%	0	5 47	2 60	5 62	0 61.	0 69	7	5 72.	5	87	M.	5 69.	77.	70.	72.	65.	55	63.	62.	63.	600	61.	61.	67.	.99	.99	71.	67.	0 72.0	2	2 66.1	67
1 8	· W	MIL	0.	(1)	35	32	0 33	5 39	0 31	0	22	0		-	0	0 32	23	30	33	0 28	5 29	5 30	0 27	0 30	73.0 34.	5 33	5 35	5 27	0 25	0 30	5 32	5 37		9.2 30.	1.9.7
	2	0 (0	10	10	10	10	0	0	0	10	0	10	0	10	0	30	10	10	0	0	0	20	0	0	0	20	20	0	10	32,5	5	5 0	80
	In Indi	Max	52.0	54.0	58.0	53.0	56.5	69.0	58.0	55.0	0.09	57.0	57.0	0.19	55.5	54.5	53.0	62.0	0.99	61.0	0.09	0.99	60.5	51.5	50.0	47.5	0.09	62.0	60.5	62.0	62.5	70 70 70 70 70 70	- 3	- 1	10.
12	2 1							0	20	v.	0	0	0	O	0	n	רע	0	25	20	0	0	21	21	J. 0 C	27	0	WI	25	C		I.		9 12.6	8.8
1	4 7 6	Hax	29.	30	54.	909	9 60	55	0 144.	37.	38.	32.	33.	0 170	30.	38.	2 177	170	777	0 48.	0 47.	617	5 1.7	0.1.6	0 43.	2 117	5 49.	50.	5.	53	10	70,0	0.0	.3 44.	2
	Udille.	-1			0	-	30	10	0	20	10	0	0	0	10	10	10	0	10	0	10	20	0		30	0	0	0	10	10	10	10.01	2/1	0.0 20	¥ 35.2
	,	-	_												_																	30 77	77	ean	Monthl

TABLE 30

Daily Maximum and Minimum Air Temperatures, Convict Creek Station, Mono County, California. 1960

	n.	ທຳ	5	0,	ň	0.	0.	N	, TU	, T.				0 0) l	v.		r.	0.	0	0	0) ,	ů.		V.	V.,) l	v.	2.0	0.0		(7) • \7	1.3	
ec.	2	1	c	7		- 0/	0		- 00	(15-	F	1 5	1) (1	_ :.	9	2	2			7 1	7 7	- r	1	0.3	7 -	1	01	ا ا	ιν. Η 1	5	** J	27.8
	0	7, 41.5	5	0	TL/	ĽΛ	Ŋ	ı	/ Lr	\ C) L	` <) J	U.S	Ú,	5	O,	0	0	ď,	Ν	o (0 (Š (ĎΙ	ďι	ŮΙ	ŮΙ	رڻ	ω. -	70	0	1	3 47	
0		27	CI	28	23	0 23	0 23	77 0	10	6	, ;	100	0 0	2 6	7:		m O	m :	20	0 23	51	(5) 1 L	ひに	1 8		N C	2 20	2 2	U (0	211	0		0 15	31.4
Z		5 73.0														5	0	W.	M.	N. 50	5 444	0	0 52	51	25	ンななった	200	277 0	3	5 43	30	7770		5 47	
ct.	parent !	0 28	31.	28.	31.	30.	10	31	32	70	100		4 E	7.6	7					27	13			0 19	07		01	7 200		0	0 28	0	0 22	9 25	24.
0	Max	74.	74.	70.	70.	72.	69	70	60	3	1-	1 J	7.5	77	77	27	23	61.	64.	72	2	3	7	12.	000	120	2	64.	• ho	0.	9	-	72.	• 179 9	7
ept.	Min	38.57	10	13.	146.	33.	34.	30	3/5	100	7	0	- 1.1 - 1.1	-1 -1 -1 -1	-47	07	27	33	33	31	3	3	22	200	62	200	200	35	42	32	5 32	33.		9 35.	6.8
Se	Max.	77.0	78.5	78.5	81.5	81.0	81.0	80.0	80.0	80.0	77		100			80	31	16.	76.	77.	78	92	69	72.	o To	80.5	SI.	79.0	200	75.	72.	70	1	77.	
•	Min	39.5	-	-	- 00				1			17	0.25	140°C	-	100	.00	-	- 0	- 0	43.5	dis	-	44	7		2	36	36.	36.		36.	33	41.2	6.
Aug	Max.	-			20	30	Ph.	-				N 6	20	0 1	-	0	0	0	01	m	89.5	•	ů.		ň.	m I	0,	79.0	x	e 0	Ö	0,	0	T	19
7	Min.		_			_	_					-				1 ^	10	10	-	20	44.5	300	10	15.0	36.5	17.5	51.0	0.87	18.0	47.5	18.0	44.5	43.0	13.7	9
Jul	ax.	M	0	N.	0	10	L	10	2 14	15	0	0 1	Ω. (0 1	ď,	9	N	0	0	0	M	N	M	0	0	0	0	n'.	5	70,	0.6	0.9	0.6	5	63
	lin. M		20	10	10	10)) (<u> </u>	10	7 1	0.0		6	10	0	-	_		10	16.5	0	20	0	0	10.	LC.	0	10	0	0	0	t	41.2	00
June	ax. M	4.03	7.55	2.5 4	7.0 1	10.4	0.5	700	- ~	している	000	100 T	0°T	7.00 7	7.5	10.5	10.88	1.0.9	7.1	31.5	80.01	8.0 1	33.0	31.5	34.0	34.0	32.0	30.0	34.0	32.0	31.5	33.0	1	82.3	61.
	in. M	5	N.	0.0	7	7	110	10	0 0	0 0	000	0 0	0 1	0.0	ريا	1,	0	T.	0	3	0	0	0	TI	N	0	N	0	0	0	77	N	N	1	
May	ax. M	10	10	10	10		1	10	7 11	00) (0		0	0	0	U.	V.	0	0	0	0	L.	0	0	L,	0	151	v.	0	0	0	0	0	48.6
-	n. Ma	3	3	30	ľ	12	10	0	0 0	2 5	U,	Ū,	Ů,	ď.	N	0	0	0	15	0	1.5 67.	0	N	20	Ň	0	0	0	0	7	0	30		5.66	
Apr.	M.	0	10	0	0	V	. 0	עכ	700	2	5,1	511	0	١.	0	0	0	0	V.	1	0 34	L,	20	٧.	0	0	0	M	0	0	M.	. 0		.1.2	43.h
	Na.	0 59.										-	-		_	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-	30	30	200	_	30	_	20		10	20	30		10	30	.161	
ar															-			-	-	20	_		5 0	20	-	-	-	30	-	-	10	0	20	7 23	10
2	Z.	36.	20	, Y	7	าน	77	0 1	17	77	7	10	200	52	647	97	27	23	62	5 67	67	67	68	99	9 9	689	69 0	, 62	115	52	9	77	1,20	2 57	
b.	E	17	7	0	1 cc	2	10	7 5	215	5.5	7		2	[-	7	~	. 0	, C	-		5 17	H	7	H	[+/	(,)	m	~	H	-	N			77 7	8
T. e	Nax	35	E	36	3	1 P	7.5	7	V- 1	77	7	7	97	Z/	2	13	-		12	3/2	100		7	3	<u>E</u>	7	7	7	7	-	1			13	
n.	Min	-12	25		1	1 0	120	7 6	70	200	50	-	9	9	N	20	10	ī	ī	9		C.	20	13	80	10	23	12	8	2	13	100	1	75	3.1
Jan	3 0	26.0	32.0	26.7	27 7) - a	1 5	VI TI	2000	144.0	39.0	34.5	30.0	35.5	28.5	29.0	21.0	28.0	12.0	38	31,0	36.5	35.5	1,6.5	1,6.0	141.0	39 .6	39.0	17.0	16.0	7	I C	7	39.0	T.
	ate		10	1 (7-	1 L	7	0 [0	0	10	11	12	2	7	7	12	17	- 00	19	20	21	22	53	24	22	56	22	- 00	200	30	7 6	Mean	Mont

TABLE 31

1961 Mono County, California. Convict Creek Station, Maximum and Minimum Air Temperatures, Daily

6.0 8.0 0.9 10.0 14.0 0.0 20.0 Min. 1.0 -2.0 200 21.0 25.0-10.5 0 27.0-11. Dec. 24.3 10.04 47.0 34.0 33.0 37.0 42.0 43.0 1200 5300 5300 17.0 53.5 0.74 45.5 Max. 39.0 36.0 32.0 47.5 2.67 19.5 29.5 6.0 31.0 33.52 P. 000 35.0 11.0 19.0 0.0 27.0 3.0 0.11 10.5 12.0 12.5 29.5 22.57 16.5 Nov. 33.9 0.49 65.0 65.0 31°0 53°0 44°5 63.5 51.5 57.5 .57.0 37.0 43.0 118.5 1,1.5 39.5 47.0 15.5 37.5 24.0 33.0 / 22.0 1 31.0 30.0 30.0 17.0 28.0 14.5 31.5 24.5 22.5 Oct. 3 64.5 61.0 0.99 78.0 62.5 39.5 71.5 72.0 77.0 3.5 77.0 75.5 7 Max. 36.0 35.0 37.0 30.0 37.0 26.0 36.5 27.0 27.0 29.0 35.5 17.5 31.5 38.0 33.0 34.5 30.0 31.0 Sept. 20 78.2 539 644 68 76.0 73.0 75.0 70.57 71.5 70.07 68.0 74.5 69.5 75.0 77.0 Max. 23 39.0 43.0 45.5 57.0 0.67 44.5 47.0 0.94 54.0 42.5 40.5 39.0 37.0 37.0 2.0 0.0 47.5 39.5 10.5 36.5 16.5 36.5 Aug. Fahrenheit 83.0 76.0 75.0 73.0 79.5 84.0 87.0 77.0 72.0 79.0 79.0 79.0 82.0 80.0 78.0 77.0 73.0 83.5 78.5 75.5 16.0 0.67 52.5 46.5 July 0 85.0 85.0 86.0 87.5 89.0 885 80.0 88 76.5 7.0 79.0 85.0 85.5 7.0 86.5 82.5 0.06 0.6 7.5 grees 59 8 Min. 36.0 でなった。 0.67 54.5 deg 35.5 41.5 56.5 37.5 in June 0 78.0 85.0 89.0 90.0 0.06 0.67 77.0 82.0 87.0 0.06 0.46 92.0 89.0 86.0 79.0 78.5 91.5 62 Temperatures 31.5 Min. 31.5 20 May 7/100 76.0 0.99 74.5 63.8% 0.0% 21.0 16.0 31.5 23.0 0,8 38.0 22.5 19.0 35.0 29.5 22.5 22.0 27.5 22.5 21.5 43.7 56.0 6.5 Max. 0.19 55.0 54.0 5.99 57.5 62.5 7.65 65.5 2002 25.0 23.0 29.0 24.5 23.0 25.0 22.5 14.0 23.5 69.5 23.5 56.0 23.5 56.0 30.0 11.5 11.0 61.5 54.0 61.5 35.0 42.0 50.0 0.67 62.0 63.0 43.0 52.0 53.0 50.0 37.5 36 26.0 20.0 25.0 15.0 22.0 17.0 23.5 32.0 32.5 25.0 10.5 000 5 Feb. R. 52.5 57.0 118.0 1,50 0.91 54.0 1,800 36.5 59.5 65.0 50.5 35 0 14.0 30.0 20.0 -1.0 12.0 Min. 10.5 10.5 19.5 14.5 13.5 31.7 Jan 39.0 52.0 51.0 Max. fean 50.3 Monthly Jate Mean

TABLE 32

Daily Maximum and Minimum Air Temperatures, Convict Greek Station, Mono County, California. 1962

	0	Min.	10.		26.	17	13	14.	18.	13.	E	5	-	- [- 0	7 1	15	25	19	9	20	22	13	ω	7	ω	T		01.	5	ر ا ا		C r		10.2	0.
	Dec	Max.	30	77/	70.	9	20	9	9	9	ĭ	17	N/	11	Λì	ν;	0.	=	N N	w.	7	70	<u>10</u>	<u> </u>	20	<u> </u>	SO.	2	<u>~</u>	70	0 53.0	7-	7-	7	1 51.5	m
	ov.	. Min	22.	0 21.	0 211.	0 23.	22	0 14.	5 14.	13°	70		ע כ כ	7 - 7	7 6	ال ر د د د	0 23.	0 17.	6 0	ω 0	5 12	0 10,	0 17,	0 13,	5 15	5 15	0 14,	0 11	5 24	Γ. []	_+ 0	υ, α	0		8 16.	36.5
	X	n. Max	69	5.7	67	99	99 (64.	63.	09 (9	5	9	10 M	7 7	77	57	52	5年	5 34	38	28	59	99 5	5 62	52	0 52	52	23	0 77	7	3	2 2 2		8 56	
	Oct.	ax. Mi	37	N.	0.0	0.0	0.1	0	30	0	N	10	0 0		000	0 1	5	0.0	0.0	0.0	0.	W.	w.	1.0	W.	7,	J. 2	1.0	1.0	1.0	72.5 26.	0.6	5.2	00	5.7 28	17.
		in. Ka	[-	[-	-	O	0	0	0	-	. [-	- V) K) 1	C, /		ru/	(1)	~	Ц /	0	W	0	[1-	[r -			29.0 7	~			32.2 6	0
	Sept	fax. M	71	0	0.0	T(77	١٧,	0	0		• 0) <u>}</u>	10	0	Ç.	0.1	0.1	0.0	70	0.0	0.6	0.	3	0	0.0	5.5	3.0	11	70 70	68.0	1	0.1		75.8	57
	•	Min.	39.5	39.5	38.0	38.0	1,3.0	36.5	0.07	73	12/2	10	2000	200	37.50	300	43.5	15.5	52.0	51.0	39.0	38.0	37.5	37.0	36.5	4.5	36.5	37.5	42.0	146.0	36.5	37.0	34.0	32.	40.2	9.6
nheit	AUE	Max	82	80	. 78	73	75	77	73	7	100	270	ξ	10	200	32	84	187	1,80	177	179	18	78	80	81	181	181	83	6	0 79	179.0	2 76	12/	77	3 78.9	Τ.
Fahrenhe	uly	Min.	10	44.	7	10,	1,3,	39	12	1,3	-	200		1 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	4-	777	33	0 37	5 36	0 39	5 39	0 37	0 39	2	· 다 0	5 40	0 39	0 12	5 13	5 5	5 45.0	7	717	42	4 41.	4.09
grees	J	Nax.	81.	080	0 81.	5, 83	0 83	0,85	7 83	000	100	1000	7 7	V 7	5/5/5	0 73	5 74	5 76	5 79	5 78	5 78	0 78	0 81	0 83	0 81	0 79	0 79	5.87	0 81	5,82	0 82	200	25	Q.	.1 79.	
in de	June.	x. Min	(w)	(4)	141	CA	(,)	64.	1 60	1 6,	10.	. 1 (116	11	. 1	3	37	38	13	35	38/	13	7	1,0	10	13	38				82.0 35.				6.3 38	57.2
atures		in. Ma	1														-		10	30	2 -1	_	,		_	-	-		30	-	38°C 82	211	10	32.0	31.5 7	m
emper	May	Σ	10	0	0	30	. C	C	0	u	12	12	0	0	0	N	0			T	1 1	7 77	15	11	10	50	, O	0	0	N	65.5	0	ш	9	63.1	1,7
E		Min. M	10	0	20	0	0	C	77.	12	7 }	UJ.	UJ	$\sqrt{1}$	Ŋ	0	0	T	10	T) L) C	Y	70	n	10	C	0	J.C	12	125	0	0	1	27.8	4.5
	Apr	1	51.0	54.0	53.5	7,0	100	17 13 14	700 700 700	100		いいい	0,1	7.70	64.5	0.49	70.0	7. 7.	68 7	75.0	76.0	70	70	7. C	70.0	70.5	69.0	5000	6h.5	63.0	52.0	55.0	64.0		62.4	7
	ir.	-	-	19	, T	10	17		1 1)	10			7	9	1	. 00		, _	1	- 4		16	7 1	1 -	í) 4		1	1	0 26.5	2		H	6 10°4	27.0
	Ma	Max	37	39	10	01	1,7		240		444	2 Z	30	38	047	0.7 (38	æ		7	1 2		1 -	7 -	1 0	1=	7.0	10	7,70	52	58	, L	10	149	8 43.	
	Feb.		7	7		7	7	100	, ער האר	9 C	- T	35	3	MI.	23	0 21,	5	10	1	100			1 1	U J	1	100	บั	/ L	9	7-10	17		1		.5 10	26.2
		n. Ma	1.	. 5 .			_		-	~ /	~ ·	0		0	10	0	-	27	50	50	22	20	30	0	216	130	\ C	21.0	\ C	11	7.5 23	12	0	0.0	0.2 41	9
	Jan	Mi																																120 M		27.
		Date Ma										~			0.1	~		+ > .	0 . (. ~				¬ -	-1 0	. ~		+ 10	110	7	- ~	0		M M	l a	0

TABLE 33

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

- 1	Dec.	18.3	16.0	30.5	7. L	\ \chi	2000	17	36.5	33.1	32.5	31.8	30.5	27.9	27.3	26.6	25.4	24.1	22.8	22.1	20.2	18.9	18.9	18.2	17.6	16.9	16.3	15.0	15.0	15.0	15.0	15.0	3	23.0	14.14.6
34	NOV	9.3	0.00	. 0	10-0L	0	0		0.0	8	8.6	9.2	9.2	ω 	7.2	7.2	7.2	(C)	O V	21.5	43.0	43.7	44.3	43.5	38.8	34.0	30.0	26.9	23.7	22.1	20.6	22.1	1	18.9	1123.8
	Oct.	6.1	6.5	6	7.7	7	7-3	7 0	(0)	7.2	7.1	7.0	7.0	6.9	6.8	6-8	6.7	9.9	5.2	A. 60	6.4	6.3	6.3	6.3	6.3	6.3	6.3	6.8	11.8	8	6.8		- 0	7.1	435.8
1.1	ondac.	13.0	13.0	13.0	13.0	13.0	13,0	1 1	7000	12.9	12.9	12.9	12.9	12.8	12.8	12.8	12.7	12.7	12.7	12.7	12.6	12.6	12.6	12.6	12.2	11.7	11.7	10.8		10.3	۵. ه		1	12.2	724.0
19	Auge	23.1	23.1			18.2				- 10	17.2	-	16.2	15.8	15.8	15,3	15.3	13.9	13.9	13.9	13.9	13.9	13.9	13.5	13.4	13.4	13.l;		13.2	13.2	13.2		13.0	15.7	967.1
	July	55.8	56.7	56.7	56-7	n/\n	N. C.	17	22.4	52.7	52.7	52.7	51.9	50.3	18.0	47-3	45.7	43.4	12.6	40.3	38.8	36.5	35.7	34.9	31.8	31.0	30.3	29.5	29.4	27.6	26.7	25.8	4.	42.6	2617.6
Mono	oune	71.0	73.5	78.5	81.	79-1-	79-1	1 - 1	10.67	70.5	0.49	60.2	57.4	53-7	50.9	47.1	47.1	1,80	19.9	51.8	53.7	56.57	61.2	64.8	67.5	65.7	63.0	59.4	58	54.9	54.9	54.9		61.8	3676.8
onvict Creek,	May	29.8	22.8	22.2	22.2	22.2	0, 12	0 0	17.00	19.3	18.7	17.5	16.9	16.9	16.9	16.9	17.5	18.7	22.2	26.4	30.6	35.6	7,-17	47.h	50.8	50.8	51.6	51.6	53.3	57.5	61.7	64.2	9.29	33.3	2047.1
	Apr.	6.9	6.9	6.9	00	0	0	-	700	6.6	10.6	10.1	10.0	9.8	10.0	9.8	9.8	8.6	8.6	9.7	6.6	11.0	13.4	15.7	16.9	18.1	19.8	21.6	23.4	23.4	24.5	25.1	1	13.0	772.1
	Mar.	2.0	2.6	200	, r	7	77) C	001	V.0	7.7	71.01	7.7	6.9	4.4	3.7	T. M.	3.1	7.7	7.77	6.3	5.0	N.	7.7	4.4	N	800	7.6	6.9	6.9	6.9	6.9	6.9	5.4	332.1
	U	0.7	00	00	0000	000	0		7.0	0.6	9.1	9.1	9.1	9.1	20	ω π	7.9	7.9	6.7	6.7	6.7	6.1	2.6	1.9	5.6	5.6	5.6	2.6	2.0	2.6	ı	1	E .	7.6	418.6
	Jan.	8.1	8.1	0 8	0.8	0	0 00	σ	0.0	φ π	7.9	7.9	7.9	7.9	7.9	0.00	8	0	8	8.1	0.1	8.2	8.3	8.3	8.4	8.1	8.4	8,0	ω γ.	8.6	8.6	8.6	8.7	8.2	502.8
4	Date	-	2	~	7	ተኒሰ	1) [~ (∞	0	10	H	12	13	큐	7	16	17	8	19	20	21	22	23	24	25	56	27	28	29	30	31	Mean	Acre

TABLE 34

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

	Dec.	12.5	11.1	17.4	11.4	13.7	12.1	12.4	12.4	13.7	15.0	15.7	14.3	13.7	13.0	11.7	11.0	7.6	21.6	11017	2.53	9.47	9.9	0	0	7.4	00	0	2.6	16.4	18.7	21.5	11.7	716.9
	Nov.	17.	11.1	11.1	10,7	10.7	10.7	77.7	11.1	11.1	11.5	7.6	11.1	6.8	7.3	7.5	09-1	8,1	ω ω	0,0	12.8	11.9	11.1	13.2	13.2	13.2	11.1	12.4	11.9	11.9	17.7	esp	10.7	634.4
	Oct.	11.9	10,3	800		7.6	7.6	h.6	1°6	100	11.3	9.4	8.1	8.1	ω 	7.6	9°F	7.6	17.6	0,	9.8	ದ್ದ	0°6	10.2	10.7	10.2	10.7	10.7	11.1	11.1	11.1	11.1	9.8	602.4
	Sept.	14.7	1407	14.7	71.67	14.1	14.1	14.1	17,1	11,00	14.0	14.0	14.0	13.9	13.9	13.9	13.9	13.9	13.8	13.00	13.8	13,3	13.3	12.8	12,3	11.8	11,3	11.8	27.8	11.8	11.8		13.5	800,9
rnia. 1951	Auce	36.0	31203	33.4	(1)	30.0	29.2	26.6	25.8	25.00	24.7	23.7	23.2	22.1	21.6	21.0	21.0	25.6	22.1	5.2.	22.6	S. C. C.	22.6	25.6	20,5	20.0	19,5	18.4	17.9	15.7	15.2	15.2	23.8	1451.7
ity, California.	July	65.1	19	63.7	9.09	59.8	55.4	53.4	51.2	E 201	49.2	49.2	49.2	149.2	149.2	1,8.2	47.1	48.9	51.2	52°7	54.2	ア プ	52.7	149.7	1.5.	43.6	1.7 0 1.	39.8	38,3	37.6	36.8	36.8	50.0	30711.7
Mono County,	June	68,3	64.8	62.0	29.9	57.1	55.7	55.7	56.4	70	57.8	58.5	59.2	59.9	62.8	65.6	62.6	74.2	77.7	78.3	78.3	78.3	77.1	73.7	70.3	9.69	69,1	68.5	6703	67.1	65.8	663	66.2	3947.6
onvirt Craek,	N. Carr	15.2	15.2	15.2	0,80	15.0	15.0	15.0	15.0	0.21	15.6	16.7	16.7	16.7	17.8	17.8	17.8	18.6	21.0	23.4	27.4	32,2	38.6	11.0	777	50.6	0.00	62.6	0,04	73.8	73.8	72.2	30.9	1902.7
Con	AFTO	7.27	7 * 7	7.7	707	7.5	7.07	7.07	7.07	(0)	7.07	7.07	8.2	9.2	9.7	10.2	11.7	12.7	13,2	13.8	15.0	14,8	14.8	15.0	0,14	15.0		14.4	13.0	174.6	15.0		11.2	0.733
	Mare	9.2	0,00	10.8	9° 8	9.2	7.07	8,2	8,2	C.	8.2	8.2	7.5	7.07	7.2	9.2	070	8.7	8 2		7.7	()	707	7.7		7.07	2.2	7.7	1 0	707	707	101	8,3	503.8
	.c.	10.6	10.8	10.8	10.3	10.3	10.3	10.3	10.3	9.8	8.6	10.8	9.8	9.8	9.8	9.8	80.00	10.3	9.5	11.3	13.9	1201	10.8	800	800	9.8	0,00	9.5	1.0° fr	1	B	E	10,01,	£75.04
	Jano	13.7	130	13.7	12,7	11,1	11.1	L.U.	11.1	5	7.07	0	0.0	8.6	0.6	9.8	10.6	13.2	11.7	15,3	T. C.	000	11.1	1000	12.7	1001	2:1	CUONT	1107	10.6	10.5	11.1	16,6	64/107
	Date		10	3	7	. ГО	0	7	000	6	E	7	Ä	~	117	N	15	17	18	13	20	TC	22	23	24	(A)	56	23	S C .	50	30	33	Nean	Feet

TABLE 35

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
-		71/-1/1	9.02		23.37	85.32	69.84	98.11	31.02	20.14		10.01
10		13.05	6.02	0	24.72	86.69	73.61	91.61	30.25	20.14	12.71	12.42
1 (13010	9.02	0	28.09	86.69	78.64	86.0U	29.47	20.14	12.71	12.70
1-		0000	9.02	N	28.77	86.69	84.93	82,33	29.47	19.50	11.97	12.70
υ t		12.37	70.87	10.58	29.44	92.17	91.22	78.62	29.47	18,86	11.97	13.61
7.4		13, 11	000	0	29。山	96.29	101,28	77.69	29.47	18,86	11.97	13,16
2 0		25-11	6.02	9.70	31.98	104.51	112,60	76.45	28.85	18.86	11.97	13.61
- α		10,79		9.88	28.59	110,00	115.11	75.21	28.23	18,22	11,97	13.61
0		10.79			28.59	112.74	113.86	73.97	27.60	17.57	11.97	11.80
\ C		10.79		0	28.59	110,00	108.83	71 49	26.98	16.93	11,97	12,25
		92-11			29.44	109.24	107.57	10.69	26.98	16,29	11.52	12,25
10		13,13			30.29	104.67	102.54	65.29	26.36	15.65	10,15	12.70
1 6		16.87			31.98	99.33	96.25	62.81	26,36	15.65	8.34	12.70
1=		61.61			33.67	00.46	93.73	59.09	25.74	15.65	9.25	12.70
7		75. [[36.20	90.19	91.22	55.37	25.12	15.65	8.79	12,25
12		11.73		-	37,30	88.67	89.96	52.89	23.87	15.65	8.79	11,30
		12.19			38.74	89.43	89.36	50.41	23.37	15.65	8.79	11.30
00		18,27		N	38.74	93.24	66.76	47.93	23.25	14.91	8.79	11.30
6		14.05		N	39.59	97.05	100,02	16.59	23.25	14.91	9.25	11.30
20		9.76		20	14.66	102,38	101.28	14.99	23.25	114.13	11.06	14.07
21		9.39		~	14.66	104,67	101,28	44.21	22.63	13.44	11.52	13.61
100		9.39		0	148.89	106.19	101,28	43.43	22.63	13.44	11.06	13.61
23		9.39		3	52.27	106.95	98.77	41.88	22.63	13.44	10.61	12.25
10		9.76		-	54.31	106.95	96.25	1.1.14	22.63	13.44	10.61	12.25
25		10.12		-	58.19	103.91	98.77	39.56	22.63	13.44	10.01	12.25
26		9.76		-	61.57	100,10	103,80	38.00	22.01	13.44	10.15	11.30
27		9.02		00	64.75	97.05	103,80	36.45	21.38	13.44	10.15	11.34
28	16.02	9.02		20.00	71.60	93.24	98.77	34.12	0.7	13.44	10.15	9.98
29		9.02		0	-	90.19	92.48	3	20.76	13.44	10.15	9.93
30	16.87	3	10.59	21,35	79.83	89.43	95.32	32.57	20.14	13.44	10.15	20
31	w	•		1	0	8	100.89			13.44	-	17.0
Liean	14.5	11.7	11.2	13.4	43.2	6.76	97.1	57.5	25.2	15.9	10.7	12.3
L'a	888.5	6.019	689.6	800.0	2655.9	5827.4	5968.0	3535.5	1501.6	974.4	638.3	756.5
Feet												

TABLE 36

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

Dec	7.08	7.08	7.08	9.24	8,24	8,24	8.24	7.01	7.01	7.01	- 0	7.01	7.01	7.59	7.59	7.59	7.59	7.20	7.20	7.20	6.80	6.41	6.41	6.11	6.41	6.41	6.01		6.41	6.41	66	7.0	433.8
Nov.	10	10.25	0	9.22	9.22	9.22	8.70	8.70	8.70	8,70	8.70	8.70	65										8.12						-	10.74	ı	9.6	572.1
Oct	10	10.19	01	9.62	9.62	9.62	9.62	9.62	65.62	90.6	8.49	67.6	8.119	9.22	9.22	9.22	9.22	9.22	9.22	9.22	9.22	9.22	0.2	0	0.2	0.2	0.2	~	7.0	0	0	10.0	595.3
Sept.	15,36	15.36	15,36	15.23	15.23	15.10	14.96	14.83	14.83	14.83	14.83	14.83	14.83	14.83	15.42	14.83	14.83	14.83	14.25	13.66	13.08	13.08	13.08	13,08	13.08	12.49	11,32	11.32	11.32	11.32	t	14.1	835.8
formia. 1953	40.35	39.35	37.43	35.51	32.62	31.01	29.70	27.75	27.10	25.79	25.14	25.14	25014	25.79	25.79	25.79	24.49	23.84	23.84	22.53	21.23	21.23	20.58	17.97	15,36	15.36	15.36	15.36	15.23	15.23	15.23	24.6	1511.8
July	59.08	57.50	57.50	57.50	57.50	59.08	67.00	76.50	81.31	83.46	83.46	81.31	80.23	78.08	78.08	75.93	74.85	72.70	69.47	65.16	60.86	57.63	56.67	54.74	53.78	51.86	119.94	47.05	60.94	45.13	113.20	0.46	3932.5
Mono County June	21.00	21.00	21,00	21,00	21.76	23,81	25.17	25,17	25.17	26.53	27.89	31,30	32,65	35,38	38.11	42.19	79.27	53.02	55.71	57.50	59.29	61.09	62.98	65.57	67.36	94.79	65.57	62.88	60.19	60.19	1	12.9	2549.5
M M	17.69	17.69	17.31	17.31	15.77	15,38	15,38	14.96	13.68	13,68	13,68	13.63	14,11	13.68	15,38	15.81	15,38	15,38	15.81	16,66	18.01	17.42	19.21	21,00	21.59	21.00	21.00	21.59	21.59	21.00	21.00	17.2	1056.9
Apr.	6.52	6.	0	66.9	66.99	9.82	8,61	8,40	7.93	7.46	7.46	66.99	6.52	6.52	6.52	66.99	7.93	7.46	7.46	66.99	66.93	7.46	7.93	8.40			- 6	19.33	0		1	8.7	518.2
Mar.	6.38	6.38	5.92	5.92	5.92	5.92	5.92	5,92	5.92	5.92	5.92	6.62	6.62	6.62	6,62	6.62	7.32	6.62	8.02	9.42	7.32	6.62	6.62	6.62	5.22	5.22	5.22	5.22	5.92	5.92	5.92	6.3	389.4
Feb.	8.73	8.73	8.73	8.03	8.03	8.03	8.54	3		7.52	7.00	7.00	7.00	7.00	7.52	7.00	- 0		5.46	- 0			5.69	9.	0	5.92	6	[0	t	ı	939	7.1	393.4
Jan.		12.25	-		11.34		12.25	12,25	10.14	9.44	10.84	11.55	12.95	15.77	15.06	14.36	14.36	14.36	1,3,66	12.95	12.25	12.25	12.25	12.25	10.14	7.33	8.73	8.03	8.03	8.03	8.73	11.6	714.5
Date	H	2	3	7	ប្រ	9	2	∞	01	10	11	12	13	17	7	16	17	18	13	20	21	22	23	24	27	56	27	28	29	30	31	Mean	Acre

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

Sept. Oct. Nov. Dec.	2.54 8.74 4.09	2.64 8.74 5.52	2.64 8.74 5.52	.64 8.74 6.00	2.64 8.74 6.00	2.64 8.74 6.00	2.64 8.74 6.00	8-71 6-18		8.74 6.95	1.46 8.74 6.95	0.86 7.43 9.81	0.27 6.95 8.86	0.27 6.95 8.86	0.09 6.95 10.77	.74 6.95 13.15	.74 7.43 11.24	.43 11.24	•74 8.38 10.77	.74 8.38 10.77	•74 8.38 10 . 29	.74 8.38 9.81	.57 8.86 8.86	57 8.38 8.86	.57 6.48 8.86	.57 3.14 8.38	.57 3.14 7.91	.39 3.14 7.91	.21 3.62 7.91	.21 3.62 7.91	60°7	10.8 7.2 8.3 8.8	
Aug.	28.43	27.91	26.36	24.29	23.21	22.64	22.64	12.12	20.95	19.82	19.74	19.11	18.47	17.83	17.20	16.56	16.56	16.56	16.56	16,12	15.69	15.69	15.25	14.38	13.95	13.15	13.08	13.08	13.08	13.08	13,00	18.3	
July	60.98	58.35	55.71	53.08	51.76	49.13	17.18	1,6-11/1	15.69	44.95	44.20	143.46	42.71	41.97	45.18	48.39	48.39	45.18	142.97	37.15	35.67	34.93	33.46	31.98	31.24	31.24	30.50	30.50	29.76	28.28	27.54	1,1.8	
June	79.06	90.64	51.24	53.11	54.04	52.79	71.75	50,30	18,43	45.62	42.81	39.07	38.13	35.32	33.45	33.45	36.08	39.60	43.98	47.50	51.89	57.15	71.37	80.90	90.43	92.34	86.62	75.18	67.56	63.75	1	54.4	
May	19,18	18.75	18.01	17.28	17.28	19.39	22.21	25,03	29.96	31,37	33.48	34.29	35.11	35.92	38,36	39.17	1,1.61	14.05	49.11	56.20	61.87	64.71	66.12	64.71	61.87	56.38	7. S.	54.55	52.72	50.89	90.67	40.8	
Apr.	9.21	10,23	9.21	9.35	9.79	9.21	9.21	8.63	8,63	8.63	8.63	8.63	9.44	8.44	8.44	29.67	10.50	11,01	12.55	13.58	14.05	15.47	16.42	17.84	18,32	18.79	19.74	21.68	21.68	20.94		12.6	
Mar.	7.52	7.20	7.20	7.67	7.67	7.67	7.67	09	14.18	N	12.78	0	66.6	9.53	9.53	90.6	9.53	66.6	9.21	9.50	79.6	9.50	9.35	9.35	9.35	9.35	9.21	90.6	8.91	90.6	90.6	9.3	
Feb.	8.66	8.66	3.66	8.45	8.24	8.03	7.82	7.82	7.82	7.61	7-40	7.40	9.29	9.36	9.43	9.50	9.50	9.50	9.29	9.29	9.03	8.87	8.37	8.45	8.45	8°04	7.62	7.62	1	1	i	8.57	
Jan.			0	- 0				0 () V.	0				- 0					- 0					- 0				- 0			- 100	6.7	
Date		a	~	7	N	10	2	- OC	0 0	10		12	2	7	15	15	17	13	19	20	21	22	23	24	2,7	56	27	28	29	30	31	Mean	

TABLE 38

and Monthly Volume of Flow (acre feet) (c.f.s.) and Monthly Rate of Flow Mean Daily

Dec. 23.30 50.15 63.15 60.30 51.10 41.10 37.25 34.25 1323.8 21.5 Nov. 478.8 8.1 111.03 100.04 10 Oct. 80 542.3 Sept. 13.6 810.8 1955 Aug. 24.8 1526.0 California. July 50.9 3131.8 Mono County, June 16.50 105 63.59 60.62 57.65 54.68 56.16 74.5 4434.2 Creek, 100.00 May 21.4 1315.9 Convict Apr 6.9 412.6 Mar 7.1 435.8 Feb. 7. 410.14 8.933 8. Jan. 6.6 610.4 Date Mean Acre Feet

TABLE 39

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

Convict Creek, Mono County, California, 1956

Dec.	13.50	13,00	-			13,00	12,60	12,60	12,60	12,60	13.50	13.50	13.50	13.50	13,50	13.50	13.00	13.00	13,00	12,60	12,60	12,10	12,10	12,10	12,10	12,10	12,10	12,10	12,10	12,10	12,10	12.8	788.4
Nov.	17.42	17.42	17.42	17.42	17.42	16,88	16.88	16,88	16,88	16,88	16.88	16.34	16,34	15.80	15.80	15.80	15.34	15.34	14.88	13.96	13.96	13.96	13.96	13.96	13.96	13.96	13.50	3	13.50	13.50	I	15.5	923.8
Oct.	25.84	25.26	25.84	25.26	25.26	24.68	24.10	23.52	22.94	25.94	21,20	20.66	20.66	20.66	20.12	19.58	19.58	19.58	19.04	19.04	18,50	17.96	17.96	16.88	16.34	17.42	17.42	16.34	16.88	16.88	17.42	20.5	1261.0
Sept.	36,12	35,38	34.65	33.91	33.91	33.91	33.18	32.44	31.71	30.24	28.77	28.77	28.77	28.01	28.01	26.49	25.72	24.96	24.96	24.96	24.20	24.20	24.20	24.20	23.44	22.68	24.20	25.72	25.72	25.72	1	28.3	1684.3
Aug.	84.96	78.25	72.65	68,16	64.80	61.44	56.96	55.84	54.72	53.60	52.48	51.36	50.24	49.12	49.12	48.40	48.40	47.68	76.96	46.24	144.08	43.36	42.6h	41.20	40.48	39.76	39.76	c. J	W.	36.88		51.0	3138.5
July	151.50	1/11,30	131,30	116.50	109,30	106.40	103.40	103.40	103.40	106.40	107.80	106.10	102,00	93.30	94.70	81.60	80.10	78.70	79.80	84.10	90.50	94.80	97.00	99,10	99,10	99,10	100.20	100,20	100,20	94.80		101.5	6239.8
June	19.09	63.34	64.25	64.25	64.25	64.25	64.25	64.25	70.03	72.93	80.16	88.83	106.68	125.81	150.11	123.08	109.41	98.48	98.48	104.76	107.27	109.78	113.54	121.07	128.60	134.88	136.14	138.65	149.94	161.24	1	101.3	6029.0
May	17.63	17.63	18.71	21.93	22.47	22.47	22.47	22.47	22.47	22.47	21.93	21.39	20.86	19.78	19.78	19.78	20.40	21.03	22,27	23.52	24.77	26.64	32.70	39.62	146.55	50.01	51.74	53.47	56.07	57.80	59.53	29.7	1825.5
Apr.	9.42	9.42	9.91	9.91	9.91	16.6	10.41	9.91	9.91	10.90	10.41	10,90	12,39	12,88	12,88	12,39	12,88	13,36	13,36	13,36	12,88	12.41	13,36	13.83	14.78	16.68	17.16	17.16	17.16	17.16	ı	12.6	747.8
Mar.	10	10.26	0	9.91	9.91	9.91	8.50	8,50	8.50	8.50	8.14	8.50	8.50	8.50	8.85	8.85	8,87	8.85	8,85	8.85	8.85	9.20	9.20	9.56	9.91	10.26	8.85	9.20	9.56	9.91	10.26	9.2	567.3
Feb.	21.14	20.33	19.23	18.67	18,12	17.02	15,91	15.91	15,36	14.80	14.25	13.70	13.70	13,15	13,15	13.15	13.15	12.59	12.59	13.70	11.49	10.93	12.04	13,15	11.49	13.15	12.04	11.49	11.49	1	ı	14.4	827.5
Jan.	13,15	30.02	28,15	27.52	25.86	24.76	24.20	21.99	21.44	19.78	20.33	19.78	19.23	18.67	20.33	21.14	19.23	19.78	19.78	18.67	18,12	18.67	19.78	17.02	20.89	21.14	21.99	21.44	21.99	21.44	21.44	21.9	1345.5
Date	-	0	3	7	7	9	2	ω	0	10	11	12	13	7	75	91	17	18	19	20	21	22	23	24	25	56	27	28	29	30	31	Mean	Acre

TABLE LO

Flow (acre feet) (c.f.s.) and Monthly Volume of Mean Daily and Monthly Rate of Flow

9.1 559.4 Nov. 30.6 628.6 Oct. 694.3 11.3 Sept. 15.2 905.8 1957 35.04 34.04 34.04 34.04 34.04 34.04 35.04 35.04 36.04 Aug. 25.8 1588.4 California. July 001.00 95.03 98.20 77.99 57.7 3548.6 Mono County, 39.88 100.35 June 83.3 4955.0 Convict Creek, 1173.50 117 May 23.2 1426.1 Apr. 9.44 9.00 9.00 9.00 9.44 9.44 10.32 10.6 630.1 13.50 13.50 13.50 10.20 Mar 704.2 11.66 11.60 11.00 Feb. 11.6 641.5 Jan. 12.6 77704 Date Mean Acre Feet

TABLE 41

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

	Dec.	10.85	10.85	11.31	10.85	10.39	9.93	9.93	10,39	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	9.93	97.6	00.6	00.6	8.00	10.0	614.1
	Nov.	12.70	12,70	12.70	12.70	12.70	12.70	12.70	12.70	13.11	12.29	12.70	12,70	12,70	13.52	12,29	12.29	12,29	12,29	12.29	12,29	12,29	12,29	11.88	11,88	11.88	11.88	11.47	11.47		11.06	1	12,3	733.8
	Oct.	19.13	18.45	18.45	17.76	17.08	16.40	16.40	16.40	16.40	16.40	16.40	15.99	15.58	15.17	15.17	15.17	1/1.76	24.76	14.76	11,88	12.29	12,29	12.70	13.11	13.11	13.11	13.11	13.11	13.11	13.11	12.70	15.0	920.9
	Sept.	34.41	33.54	30.78	29.40	28.71	28.71	30.09	32.16	31.47	31.47	30.78	29.40	26.65	25.27	24.58	24.58	23.89	23.20	22.51	21,13	21.13	20.45	20.45	20.45	20.45	20.45	20.45	20.45	19.76	19.07	t	25.5	1519.0
rnia. 1958	Aug.	54.82	54.82	54.82	54.82	53.04	52.59	52.59	52.59	52.59	52.59	52.59	52.59	53.04	52.59	52.59	52.15	51.70	51.70	51.25	49.45	45.69	1,4.18	41.93	11.18	38.17	37.42	37.42	37.42	37.42	36.67	35.92	148.0	2952.1
	July	111.18	103.73	100.75	99.26	100.75	103.73	10	118.63	121.68	120,12	116.99	113.86	115.43	110.74	102.91	10°96	89.41	82.78	76.15	73.49	72.17	72.17	72.17	70.84	69.51	64.21	62.88	8	61.55	J.	60.23	90.2	5548.7
Mono County,	June	68.59	68.59	68.59	66.13	64.90	63.67	06.49	63.67	63.67	62.14	63.29	62.44	09.19	59.91	59.91	62.44	64.98	77.47	95.77	117.39	135.70	139.02	145.68	175.62	183.94	155.66	142.35	137.36	130.70	122,39	1	95.0	5650.5
ct Creek,	May	14.56	14.56	14.56	14.98	16.27	17.98	19.69	20.98	22.69	24.83	26.11	26.97	26.97	26.97	26.54	26.97	27.82	29.96	33.88	54.44	59.41	62.73	65.21	66.87	₹0°99	65.21	66.63	66.63	66.63	69.99	68.52	39.0	2395.5
Convi	Apr.	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	11.99	12,38	12,38	12.78	13.56	13.96	14.35	14.35	27,00	14.35	14.35	14.35	14.35	14.74	1	12.8	762.6
	Mar.		H	-	H		-	d	11.14	0	0	0	0	0	0	CV	-	m	CV	CV	3	N	0	0	N	-	-	3	W	3	W	3	12.8	784.2
	Feb.	9.32	9.32	7	1,	i	0	0	10,88	0	o	0	0	0	0	9.32	9.32	9.32	8.83	8.83	9.32	9.32	8.88	8,83	9.32	3	11.61	-1	7	t	ŧ	•	10.2	563.2
	Jan	9.32	9.32	9.32	8,88	8.88	8.44	8.114	8.44	8.44	8.44	8.44	7.56	7.12	7.56	7.56	7.56	7.56	7.56	7.56	7.56	7.56	7.56	8.00	8.44	8.44	8.88	8.88	9.32	9.76	88.88	9.32	8.4	513.7
	Date	-	2	~	7	7	9	7	ω	0	10	11	12	13	77	77	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Mean	Acre

TABLE 42

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

Dec.	7.12	7.12	7.12	7.12	6.68	6.68	6.24	6.24	6.24	6.23	6.21	6.20	6.19	6.17	6.16	6.15	6.13	6.12	6.11	60°9	90°9	90°9	6.05	40°9	6.02	6.01	00°9	5.98	5.97	5.97	5.97	6.3	385.7
Nov.	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	7.09	171°9	5.79	5.79	5.79	5.79	5.79	5.79	5.79	5.79	5.79	t	6.7	397.4
Oct.	9.75	9.75	9.59	9.42	9.42	8.75	8.75	8.58	8,58	8,58	8.58	8.42	8.25	8,25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8,25	8,38	8,38	8,21	8.05	8.05	8.5	525.1
Sept.	ω	9.82	φ,	[~	-7	9.76		9.76		9.76	9.73	5-	9.76	9.76	9.82	9.82	9.82	9.91	10.18	10.09	10.09	10.09	10.09	10.09	10.09	10.06	10.00	10,00	76.6	76.6	E.	6.6	588.7
ly Aug.	19,88	19,19	17.83	17.15	17.51	17.51	17,20	17.51	17.51	17,20	16.56	16.56	16.01	15.46	14.91	14.91	14.36	14.36	14.12	1.3.89	13.89	13.65	13.65	13.65	13,18	13.18	13.18	12,07	10.96	9.85		15.0	923.6
July	34.08	32.76	31.15	31.45	30.79	30.13	28.81	28.15	27.67	27.18	26,22	25.73	25.25	25.25	25.25	25.25	25.25	25.25	25.25	25.25	25.17	25.17	25.17	25.17	24.36	24.36	23.55	22.73	21.92	20,30	20.30	26.3	1615.8
June	27.45	28.68	31.17	36.16	11.98	47.80	51.96	52.79	53.62	54.62	55.12	56.11	57.11	57.61	57.97	54.52	51.93	50.20	148.47	45.88	15.01	44.15	44.15	47.29	46.24	45.20	43.11	39.97	38.92	34.74	ı	46.3	2756.9
• May		13.80	01.41	14.70	17.43	17.43	17.43	17.43	16.49	16.02	16.96	18.59	20,33	26,12	28.44	29.60	31.92	29.60	30.18	30.18	30.76	30.76	29.60	28.44	27.28	27.45	26.84	26.53	26.23	26.23	26.53	23.5	1444.2
Apr.	8.70	9.00	00°6	9,30	9.30	09.6	9.90	10,20	10.50	10.50	10,80	11,10	11,10	11.10	11.10	11.40	11.70	11.70	11.70	11.70	12,00	12,00	12,00	12,30	12,60	12,90	13.50	13.50	13.50	13,80	ı	11.3	7.699
Mar.	11.76	11.22	11.22	10.68	10.14	10.14	10.11	10.17	10.1	09.6	09.6	09.6	90.6	8,52	8.52	8 77	8.52	8.52	8.52	7.98	7.98	7.98	7.98	7.98	7.98	7.58	8.52	90.6	8.52	10.68	7.98	9.2	565.7
Feb.	7.65	7.65	7.98	7.98	7.98	8,31	6.65	8,65	9.98	9.64	13,31	12.97	12.97	11.31	10.98	13.64	13.97	13,31	12.64	12,31	11.97	11.64	11.64	11,31	11.31	10.98	10.64	10,31	1	1	1	10.7	594.1
Jan.	10,20	10.20	9.32	9.32	9.76	13.02	13.02	12.55	12.08	12,08	12,08	12.08	12.08	12.08	11.61	11,61	11.14	11.14	10.67	10.20	10.20	10,20	10.20	11,14	9.76	9.32	9.32	9.32	8.88	8.88	8.44	10.7	658.3
Date	H	2	~	7	W	9	7	80	0	10	II	12	13	77	15	16	17	18	19	20	27	22	23	24	25	26	27	28	29	30	31	Mean	Acre

TABLE 43

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

	Dec.	8.00	10.20			- 0			8.44	- 0	8.44	8.00	8.00	8.00	8.8	7.56	7.12	7.12	7.12	6.68	6.68	6.68	6.68	6.68	6.68	6.68	6.68	6.24	6.24	6.24		6.24	7.5	461.4	
	Nov.	10.20	9.32	8.44	8.88	9.32	9.76	9.32	8.44	8.44	8.88	8.44	9.32	10.20	9.76	8.44	9.4.14	8.44	8.33	8.114	8.44	8.44	8.44	8.44	8.44	8.44	8,00	N	7.12	7.12	7.12	1	8.6	513.6	
	Oct.	6.68	6.68	6.24	5.80	5.80	6.24	2.76	2.38	2.76	3.14	3.52	3.14	3.90	99.4	799.7	11.66	5.04	7.80 80	5.80	5.80	5.80	6.24	6.24	5.04	7.66	15.41	20.00	16.94	24.43	13.02	11.61	6.9	426.2	
	Sept.	6.34	6.34	3	3	2	7	5	6.75	5	7	~	-3	50	0	71	7/	7/	Ti.	, n	5	N	N	57	N	6			6.34			\$	6.2	366.1	
rnia. 1960	Aug.	14.53	20.69	19.61	11.70	11.73	~	11.73	12.29	12.60	14.12	14.12	14.43	15.65	14.73	14.43	14,12	14,12	13.82	13.51	12.90	12.60	14.43	12,90	12,60	11.99	11.68	10,16	8.02	8.02	8.02	8.02	12.9	794.2	
ty, California	July	21.46	8	N	19.67	19.07	18.47	18.15	18.15	17.83	17.83	17.52	16.88	16,88	16.88	16.84	16.84	16.81	16.79	16.77	16.77	16.77	16.77	16.77	16.77						16.73		17.6	1081.3	
Mono County	June	26.45	30.45	35.60	39.60	41.88	42.46	140.76	36.92	38.99	38.40	37.81	37.22	36.92	36.92	36.92	37.68	38.44	38.44	36.92	35.40	33.88	32,30	31.52	29.94	27.58	26.79	25.21	22.06	22.06	22.06	1	33.9	2018.3	
ct Creek,	May	11.58	10.99	9.39	9.39	9.16	9.16	9.16	9.16	9.39	9.63	98.86	12.89	13.50	17.14	20.78	23.82	26.85	29.04	29.04	33.42	35.61	29.04	26.85	22.47	22.47	21.76	21.05	20.34	21.76	23.89	24.74	18.8	1157.0	
Convict	Apr.	4.88	5.40	5.40	5.91	5.91	6.42	7.45	6.42	7.45	7.45	7.96	7.45	7075	8,35	7.75	7.75	7.75	8.07	8.65	8.64	9.81	9.81	9.81	9.81	10.40	10.99	12.75	12.75	12.17	11.58	1	8.4	501.2	
	Mar.						9	-	5.80						-	- 9	-	- 4		9		- 9		- GP		-	-						ħ•9	394.9	
	Feb.	8,00	9.32	8.88	8.94	8.99	9.05	9.10	9.16	9.21	9.27	9.32	9.32	9.32	8.88	ය. ගහ	8.114	9.32	6.24	8.88	8,88	7.56	8.44	7.56	8.88	7.56	2.04	6.68	6.68	6.24	1	t	8.4	1,80.1	
	Jan.	6,20	6.43	99.9	6.89	7.12	7.12	7.56	7.12	6.68	7.12	8.00	8.44	8.88	8.88	8.88	8.44	8.00	7.56	7.56	7.56	7.56	7.12	8.00	8.00	8.44	8.44	8.44	7.56	7.56	7.56	7.56	7.7	1,007	
	Date	Н	2	~	7	20	9	7	- ω	6	10	I	12	13	7	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Mean	Acre	

TABLE 44

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

	Dec.	7.72	9.68	10,12	9.24	8.44	8.44	8.11	8.14	8.08	8,08	7.72	7.00	7.00	7.00	7.00	7.00	8.14	79.9	7,36	7.72	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	7.3	145.7
	Nov.	79.9	79.9	79.9	79.9	79°9	79.9	79.9	79°9	7.00	7.00	ty9*9	6.28	6.28	6.28	6.28	6.28	6.28	6.28	6.28	7.72	8.80	8.08	7.36	7.36	7.36	7.72		7.72	8.08	8.08	ı	7.0	416.5
	Oct.	7.72	7.72	7.72	7.72	7.72	7.72	5.92	2.80	3.40	4.30	14.60	14.90	5.56	5.92	6.28	79.9	79.9	49.9	49.9	7.00	8.08	7.00	η 9° 9		7.36	7.72	8.44	7.72		79.9		9.9	402.8
	Sept.	11.00	10,12	9.68	10.12	10,12	10,12	10.12	10.56	10,12	9.68	9.24	9.24	89.6	11,88	10.56	9.68	89.68	9.24	8.44	8.44	8.44	80.8	8.08	8.08	8.08	8.08	8.08	8.08	8.08	8.08	7.72	9.3	552.4
nia. 1961	Aug.	18.42	17.84	17,26	16,68	16,10	16.10	15.52	14.94	14.94	14.94	14.94	15.52	17.26	19.40	19,00	19,00	19.00	18.42	17.84	17.84	17.84	14.94	77.17	9.68	8.56	8,32	11,88	14.36	13.78	13.78	13,20	15.4	9*676
by, California.	July	27.06	27.06	25.32	25,32	24.16	23.58	22.60	22,20	21,80	21.40	20,60	20.20	20,20	19.80	19.40	19.00	18.42	17.84	17.84	17.51	17.18	16.85	16.51	16,18	15.85	15.52	15.52	16.68	19.00	19.00	18.42	19.9	1225.8
Mono County,	June	25.65	25.21	23,88	23,00	22.56	21.23	21.97	25.65	30.08	34.50	35.98	36.71	37.45	38.05	38.66	39.86	10.16	94.04	17.67	42.27	41.35	41.35	39.51	38.59	37.67	35.83	33.99	29,39	28.47	26.63	1	33.3	1979.7
Creek,	May	6,63	6,63	7.01	7.39	7.78	8.16	8.55	8.55	8.93	8,12	7.47	7.47	8,12	9.43	10.08	10.08	10.73	11,38	12.04	13.99	14.64	17.25	17.25	18.58	20,79	21,67	22.11	22.56	23.00	23.44	23.88	13.0	800.8
Convict	Apr.	4.17	4.17	4.17	4-74	4.74	47.4	5.02	5.02	5.31	5.59	5.59	6.14	5.87	5.87	91.9	6.16	6.44	6.73	91.9	5.31	5.87	ηη·9	6.73	7.01	7.01	7.39					ı	5.8	353.9
	Mar.	3.90	4.28	3.90	4.28	4.28	7,000	7,000	99°7	5°04	3.14	4.28	7,066	4.28	7,000	5.04	5.04	5.42	5.42	5.42	5.80	5.04	2.04	5.42	5.42	5.42	5.80	5.80	4.28	4.28	4.28	799.17	4.8	294.1
	Feb.	5.80	5.80	5.42	5.42	5.42	5.42	5.42	5.42	5.42	5.42	5.42	5.42	5.42	5.42	5.04	799.4	5°04	2.04	2.04	5.04	5°04	5.0h	7.00	99°7	5.04	3.90	3.52	3.90	t	1	1	5.1	282,2
	Jan.	5.46	5.46	5.46	5.46	5.46	5.46	5.46	5.46	5.46	5.28	5.28	5.28	5.28	5.28	5.28	5.28	16.4	4.91	16.01	16.47	4.91	4.91	4.91	4.91	4.91	5.46	5.46	5.46	5.46	5.46	5.28	5.3	323.1
	Date	П	2	3	7	N	9	2	8	6	10	디	12	13	77	15	16	17	18	19	20	21	22	23	24	22		27	28	59	200	31	Mean	Acre

TABLE 45

Mean Daily and Monthly Rate of Flow (c.f.s.) and Monthly Volume of Flow (acre feet)

	Dec.	7.39	7.51	7.51	7.51	7.51	7.51	7.51	7.51	7.51	7.51	7.51	7.57	7.51	7.51	7.51	7.64	7.64	7.64	7.51	7.51	7.51	7.51	7.57	7.26	7.26	7.26	7.14	7.14	7.14	7.14	7.14	7.4	457.2	
	Nov.	10,40	10.40	10.40	9.92	9.92	9.92	9.92	9.92	10.40	10.88	8.49	8.01	8,01	8.01	8.01	8.01	8.01	8.01	7.89	7.89	7.89	7.89	7.89	7.89	7.89	8.14	8,01	79.€	7.64	7.51	1	8.7	517.3	
	Oct.	18,28	18.28	16.77	16.01	10.01	15.25	14.50	14.50	13.74	13.74	14.70	12,31	12,31	10.88	11.35	10.88	10.88	10.88	11,35	11.83	11.83	11.83	11.83	11.83	11.83	11.83	11,35	10,88	10,88	10.88	10.88	12.9	794.0	
	Sept.	21.96	21.60	21.23	20.87	20.87	20.87	20.50	20.14	20.14	19.77	19.41	19.04	18.67	18.67	18,31	17.44	17.58	17.21	17.21	16.85	16.85	16.48	16.12	15.75	15.75	17.94	18,31	17.94	17.94	18,31	ı	18.7	1111.2	
nia. 1962	Aug.	55.32	53.43	51.55	19.67	45.90	10.44	42.13	40.25	39.30	37.42	37.42	36.48	35.54	33.65	32.71	32.71	32.71	32.71	32.71	32.71	30.96	30.08	30.08	29.20	28.32	26.57	25.69	23.94	23.06	22,18	21.31	35.2	2161.4	
Mono County, California	July	114,03	_			_			-		_	_											-	-											
	June	29.22	32.66	38.87	42,31	14.38	146.87	50.61	56.83	60.57	65.55	78,01	82.99	88.95	90.15	86.57	80.60	73.45	67.48	67.48	80.53	96.54	119.68	141.03	155.27	157.05	150.28	146.09	137.49	128.96	141.75	ŧ	87.9	5232.8	
Creek,	May	23,38	22.03	21.35	21,35	22.03	25.41	30.15	34.90	36.93	37.61	37.61	36.93	34.22	31.51	30.15	29.48	28.80	28.12	27.44	25.41	24.06	24.06	24.06	23,38	22.70	22.70	24.06	24.73	24.73	25.41	26.77	27.5	1688.9	
Convict	Apr.									0	10,38	0	-	O	3		10	20	0	~	20	10	20	20	3	0	8	0	0	0	9		16.2	6.496	
	Mar.	H	11,88	-	0	0	0	0	0	-	10.56	0	0	9.68	9.68	9.68	9.24	9.24	8.80	8.80	8.08	8.08	8.44	9.24	8.80	8.80	8.44	8.08	80.8	8.09	8.08	8.08	7.6	580.3	
	Feb.	7.00	7.00	79.9	6.28	5.92	7.90	5.20	179-9		16,10	-	-	-	-	64.	1	-	-	13/	L	1 1	-	-	6.1	CA	CA	CV		1	1	ı	12.1	671.1	
	Jan.	5.92	5.92	5.92	5.92	2,00	2,26	12/2	77	20,27	5.56	5.56	79.9	10,12	8 80	8.08	7.36	7.36	7.00	6.28	8,80	10,12	9.24	8.80	9.68	8.08	8.08	7.72	7.72	7.72	7.00	7.00	7.2	17*5*17	
	Date		2	m	77	r	0	7	- ∞	0	10	11	12	13	177	17	16	17	18	19	20	21	22	23	27	25	26	27	28	29	30	31	Mean	Acre	



The United States Department of the Interior, created in 1849, is concerned with management, conservation, and development of the Nation's water, wildlife, fish, mineral, forest, and park and recreational resources. It has major responsibilities also for Indian and Territorial affairs.

As America's principal conservation agency, the Department works to assure that nonrenewable resources are developed and used wisely, that park and recreational resources are conserved for the future, and that renewable resources make their full contribution to the progress, prosperity, and security of the United'States, now and in the future.



UNITED STATES DEPARTMENT OF THE INTERIOR

Stewart L. Udall, Secretary

Frank P. Briggs, Assistant Secretary for Fish and Wildlife

FISH AND WILDLIFE SERVICE

Clarence F. Pautzke, Commissioner

BUREAU OF SPORT FISHERIES AND WILDLIFE

Daniel H. Janzen, Director

BUREAU OF SPORT FISHERIES & WILDLIFE DEPARTMENT OF THE INTERIOR FISH AND WILDLIFE SERVICES WASHINGTON 25, D. C. UNITED STATES

OFFICIAL BUSINESS

Librarian,

Marine Biological Lab.,

128 T Woods Hole, Mass.

U. S. DEPARTMENT OF THE INTERIOR POSTAGE AND FEES PAID